



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

KLF-S T7 KEY LOCK EQ.N.20008 OP.xR.HAND



General Information

Extended Product Type: KLF-S T7 KEY LOCK EQ.N.20008 OP.xR.HAND

 Product ID:
 1SDA063559R1

 EAN:
 8015644662035

Catalog Description: KLF-S T7 KEY LOCK EQ.N.20008 OP.xR.HAND

Long Description: KEY LOCK EQUAL N.20008 IN OPEN FOR ROTARY HANDLE OPERATING MECH.

BETWEEN MORE C.BREAKERS T7

Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Moulded Case Circuit Breakers » Accessories for Tmax T

Ordering

 EAN:
 8015644662035

 Minimum Order Quantity:
 1 piece

 Customs Tariff Number:
 85389099

Dimensions

Product Net Weight: 0.1 kg

Container Information

 Package Level 1 Units:
 1 piece

 Package Level 1 Gross Weight:
 0.1 kg

 Package Level 1 EAN:
 8015644662035

Environmental

RoHS Status: Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q2

Additional Information

 Product Main Type:
 Accessories for Tmax T

 Product Name:
 Accessory for Circuit Breakers

 Product Type:
 ACC

 Standards:
 IEC

 Suitable For:
 T7

 Suitable for Product Class:
 SACE Tmax T

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SDC210015D0201

Declaration of Conformity - CE: 1SDL000165R0001

RoHS Information: 1SDL000201R0001

Classifications

Object Classification Code: Q
UNSPSC: 39121100







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
KLF-S T7 KEY LOCK EQ.N.20008 OP.xR.HAND	1SDA063559R1	Т7	Buy on EAN