



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

# E2.2H/MS 2500 3p F HR



#### **General Information**

Extended Product Type: E2.2H/MS 2500 3p F HR

**Product ID:** 1SDA073415R1 EAN: 8015644772659

**Catalog Description:** E2.2H/MS 2500 3p F HR

Long Description: C.BREAKER SWITCH-DISCONNECTOR SACE EMAX2 E2.2H/MS 2500 FIXED THREE-

POLE WITH TERMINALS REAR HORIZONTAL

## Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Air Circuit Breakers » Emax 2

#### Ordering

8015644772659 EAN: Minimum Order Quantity: 1 piece

**Customs Tariff Number:** 85362090

#### **Dimensions**

**Product Net Width:** 276 mm **Product Net Height:** 371 mm **Product Net Depth:** 270 mm **Product Net Weight:** 60 kg

### **Container Information**

Package Level 1 Units: 1 piece Package Level 1 Width: 445 mm Package Level 1 Height: 618 mm 420 mm Package Level 1 Length: Package Level 1 Gross Weight: 46 kg Package Level 1 EAN: 8015644609139

### **Additional Information**

AC **Current Type:** 

**Electrical Durability:** Ue =< 440 V 8000 cycle

Ue = 500 ... 690 V 7000 cycle

30 cycles per hour

**Mechanical Durability:** 20000 cycle

60 cycles per hour

Number of Poles:

at Rated Operating Conditions per Pole 267 W Power Loss:

SACE Emax 2 **Product Main Type:** Switch-disconnector

**Product Name: Product Type:** SD

Rated Current (In): 2500 A Rated Impulse Withstand Voltage

(U<sub>imp</sub>):

12 kV

AC 1000 V Rated Insulation Voltage (Ui): Rated Operational Voltage: 690 V AC Rated Short-time Withstand Current for 1 s 85 kA for 3 s 66 kA (I<sub>cw</sub>):

Rated Uninterrupted Current (Iu): 2500 A 690 V IEC 60947

E2.2 Sub-type: **Terminal Connection Type:** Rear flat Horizontal

Version:

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SDC200023D0204 **Declaration of Conformity - CE:** 1SDL000165R0020

# Classifications

Rated Voltage (U<sub>r</sub>):

Standards:

ETIM 4: EC000228 - Power circuit-breaker for trafo/generator/installation prot. **ETIM 5:** EC000228 - Power circuit-breaker for trafo/generator/installation prot.

Object Classification Code: Q







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
E2.2H/MS 2500 3p F HR	1SDA073415R1	E2.2H/MS2500	Buy on EAN