



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

E6.2H/f/MS 5000 4p F HR



General Information

Extended Product Type: E6.2H/f/MS 5000 4p F HR

Product ID: 1SDA073471R1 EAN: 8015644773212

Catalog Description: E6.2H/f/MS 5000 4p F HR

Long Description: C.BREAKER SWITCH-DISCONNECTOR SACE EMAX2 E6.2H/f/MS 5000 FIXED FOUR-

POLE FULL SIZE NEUTRAL WITH TERMINALS REAR HORIZONTAL

Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Air Circuit Breakers » Emax 2

Ordering

8015644773212 EAN: Minimum Order Quantity: 1 piece **Customs Tariff Number:** 85362090

Dimensions

Product Net Width: 1014 mm **Product Net Height:** 371 mm **Product Net Depth:** 270 mm **Product Net Weight:** 135 kg

Container Information

Package Level 1 Units: 1 piece Package Level 1 Width: 1185 mm Package Level 1 Height: 625 mm Package Level 1 Length: 420 mm Package Level 1 Gross Weight: 151 kg Package Level 1 EAN: 8015644609139

Additional Information

AC **Current Type:**

Electrical Durability: Ue =< 440 V 3000 cycle

Ue = 500 ... 690 V 2000 cycle 10 cycles per hour

Mechanical Durability: 12000 cycle

60 cycles per hour

Neutral Pole Current ([%lu]): 100 %

Number of Poles:

at Rated Operating Conditions per Pole 483 W Power Loss:

SACE Emax 2 **Product Main Type: Product Name:** Switch-disconnector

Product Type: 5000 A Rated Current (In): 12 kV

Rated Impulse Withstand Voltage

(U_{imp}):

Rated Insulation Voltage (Ui): AC 1000 V Rated Operational Voltage: 690 V AC Rated Short-time Withstand Current for 1 s 100 kA for 3 s 100 kA (I_{cw}) :

Rated Uninterrupted Current (I_u): 5000 A Rated Voltage (U_r): 690 V Standards: IEC 60947 E6.2 Sub-type:

Rear flat Horizontal **Terminal Connection Type:**

Version:

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SDC200023D0204 **Declaration of Conformity - CE:** 1SDL000165R0022

Classifications

ETIM 4: EC000228 - Power circuit-breaker for trafo/generator/installation prot.

ETIM 5: EC000228 - Power circuit-breaker for trafo/generator/installation prot.

Object Classification Code: Q







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
E6.2H/f/MS 5000 4p F HR	1SDA073471R1	E6.2H/f/MS5000	Buy on EAN