



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

# E2.2N/MS 1600 4p WMP



### **General Information**

Extended Product Type: E2.2N/MS 1600 4p WMP

Product ID: 1SDA073532R1 EAN: 8015644773823

**Catalog Description:** E2.2N/MS 1600 4p WMP

Long Description: MOVING PART FOR C.BREAKER SWITCH-DISCONNECTOR SACE EMAX2 E2.2N/MS

1600 FOUR-POLE

# Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Air Circuit Breakers » Emax 2

### Ordering

8015644773823 EAN: Minimum Order Quantity: 1 piece **Customs Tariff Number:** 85362090

#### **Dimensions**

**Product Net Width:** 407 mm **Product Net Height:** 425 mm **Product Net Depth:** 383 mm **Product Net Weight:** 49 kg

#### **Container Information**

Package Level 1 Units: 1 piece Package Level 1 Width: 535 mm Package Level 1 Height: 618 mm 420 mm Package Level 1 Length: Package Level 1 Gross Weight: 60 kg Package Level 1 EAN: 8015644609139

### **Additional Information**

AC **Current Type:** 

**Electrical Durability:** Ue =< 440 V 12000 cycle

Ue = 500 ... 690 V 10000 cycle

30 cycles per hour

**Mechanical Durability:** 25000 cycle

60 cycles per hour

Neutral Pole Current ([%lu]): 100 %

**Number of Poles:** 

at Rated Operating Conditions per Pole 288 W Power Loss:

**Product Main Type:** SACE Emax 2 **Product Name:** Switch-disconnector

**Product Type: SDMP** 1600 A Rated Current (In): 12 kV

Rated Impulse Withstand Voltage

(U<sub>imp</sub>):

Rated Insulation Voltage (Ui): AC 1000 V Rated Operational Voltage: 690 V AC Rated Short-time Withstand Current for 1 s 66 kA for 3 s 50 kA  $(I_{cw})$ :

Rated Uninterrupted Current (Iu): 1600 A Rated Voltage (U<sub>r</sub>): 690 V Standards: IEC 60947 E2.2 Sub-type: Version: W

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SDC200023D0204 **Declaration of Conformity - CE:** 1SDL000165R0020

# Classifications

ETIM 4:

ETIM 5:

 ${\tt EC000228 - Power circuit-breaker for trafo/generator/installation prot.}$ 

Object Classification Code:









Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
E2.2N/MS 1600 4p WMP	1SDA073532R1	E2.2N/MS1600	Buy on EAN