



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	BER140-4
Product ID:	1SFN084211R1000
EAN:	7320500471609
Catalog Description:	BER140-4 Interconnection Bar
Long Description:	Connections for reversing contactors, 3-pole, AF116-AF146

Categories

Products » Low Voltage Products and Systems » Control Products » Contactors » Block Contactors Accessories

Ordering

EAN:	7320500471609
Minimum Order Quantity:	1 set
Customs Tariff Number:	85389099

Dimensions

Product Net Weight:	0.615 kg
---------------------	----------

Container Information

Package Level 1 Units:	1 set
Package Level 1 Gross Weight:	0.630 kg

Environmental

Battery Information:	Type NONE
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Order Multiple:	1 set
Product Main Type:	BER140
Product Name:	Interconnection Bar
RoHS Date:	1226 1
Suitable For:	AF146
Suitable for Product Class:	CONTACTORS
Terminal Type:	Screw Terminals

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SBC100122C0202
Declaration of Conformity - CE:	2CMT004242

Classifications

ETIM 4:	EC002498 - Accessories for low-voltage switch technology
ETIM 5:	EC002498 - Accessories for low-voltage switch technology
Object Classification Code:	W
UNSPSC:	39121529





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
BER140-4 Interconnection Bar	1SFN084211R1000	BER140-4	Buy on EAN