



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	BEA750H/S6
Product ID:	1SFN086107R1000
EAN:	7320500222171
Catalog Description:	CONNECTION BAR#BEA750H/S6
Long Description:	Busbar kit with control wire terminal for connecting contactor to Isomax type MCCB in a horizontal mounting position

Categories

Products » Low Voltage Products and Systems » Control Products » Contactors » Block Contactors Accessories

Ordering

EAN:	7320500222171
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85389099

Dimensions

Product Net Weight:	4.845 kg
---------------------	----------

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Gross Weight:	3.8 kg

Environmental

RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2009 Q2
--------------	---------------------------------------------------------------------------------------

Additional Information

Order Multiple:	1 piece
Product Main Type:	BEA750H/S6
Product Name:	CONTACTOR
Suitable For:	AF750
Suitable for Product Class:	CONTACTORS
Terminal Type:	Screw Terminals

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SBC100122C0202
RoHS Information:	1SFC101049D0203

Classifications

Object Classification Code:	W
UNSPSC:	39121529





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
CONNECTION BAR#BEA750H/S6	1SFN086107R1000	BEA750H/S6	Buy on EAN