



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

1SLM004100A1308



Extended Product Type:	1SLM004100A1308
Product ID:	1SLM004100A1308
EAN:	8000126118858
Catalog Description:	MISTRAL41F flush 850 opaque door 48M
Long Description:	MISTRAL41F flush 850 opaque door 48M
Categories	
	d Systems » Enclosures (System Pro E) » Consumer Units (System pro E comfort)
Consumer Units	
Ordering	
EAN:	8000126118858
Customs Tariff Number:	85381000
Dimensions	
Product Net Width:	0.320 m
Product Net Height:	0.735 m
Product Net Depth:	0.108 m
Product Net Weight:	3.5 kg
Container Information	
Package Level 1 Units:	1 piece
Package Level 1 Width:	0.334 m
Package Level 1 Height:	0.125 m
Package Level 1 Length:	0.743 m
Package Level 1 Gross Weight:	3.5 kg
Package Level 1 EAN:	8000126118865
Environmental	
RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-07
	01
Additional Information	BN 9940
Color:	RAL 9016
Degree of Protection:	IP41
DIN Place Units:	48
Enclosure Material:	thermoplastic
	050
	850
Mounting Type:	Hollow wall
Mounting Type: Number of Rows:	Hollow wall 4
Mounting Type: Number of Rows: Power Loss:	Hollow wall 4 59 W
Number of Rows: Power Loss: Product Main Type:	Hollow wall 4 59 W MISTRAL41F
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name:	Hollow wall 4 59 W MISTRAL41F Consumer units
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name:	Hollow wall 4 59 W MISTRAL41F
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name: Protection Class:	Hollow wall 4 59 W MISTRAL41F Consumer units Isolated
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name: Protection Class: Certificates and Declarations (De	Hollow wall 4 59 W MISTRAL41F Consumer units Isolated bocument Number)
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name: Protection Class: Certificates and Declarations (De Data Sheet, Technical Information:	Hollow wall 4 59 W MISTRAL41F Consumer units Isolated Comment Number) 1SLC801013D0201
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name: Protection Class: Certificates and Declarations (De Data Sheet, Technical Information: Declaration of Conformity - CE:	Hollow wall 4 59 W MISTRAL41F Consumer units Isolated Comment Number) 1SLC801013D0201 1SLT100096D0200
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name: Protection Class: Certificates and Declarations (De Data Sheet, Technical Information: Declaration of Conformity - CE:	Hollow wall 4 59 W MISTRAL41F Consumer units Isolated Comment Number) 1SLC801013D0201
Glow Wire Test: Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name: Protection Class: Certificates and Declarations (De Data Sheet, Technical Information: Declaration of Conformity - CE: RoHS Information: Classifications	Hollow wall 4 59 W MISTRAL41F Consumer units Isolated Comment Number) 1SLC801013D0201 1SLT100096D0200
Mounting Type: Number of Rows: Power Loss: Product Main Type: Product Name: Protection Class: Certificates and Declarations (De Data Sheet, Technical Information: Declaration of Conformity - CE: RoHS Information:	Hollow wall 4 59 W MISTRAL41F Consumer units Isolated Comment Number) 1SLC801013D0201 1SLT100096D0200







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
MISTRAL41F flush 850 opaque door 48M	1SLM004100A1308	41C12x41	Buy on EAN