



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

CR-M012DC2



General Information

Extended Product Type:	CR-M012DC2
Product ID:	1SVR405611R4000
EAN:	4013614497285
Catalog Description:	CR-M012DC2 Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/12A
Long Description:	The CR-M012DC2 pluggable interface relay is from the CR-M (miniature) relay range. This relay operates with a 12 V DC rated control supply voltage and has a 2 c/o (SPDT) output with contacts rated at 250 V / 12 A. The relay has an integrated blue test button for manual actuation and locking of the output contacts. Standard sockets, logic sockets, pluggable function modules, holder and marker are available as accessories.

Categories

Products » Low Voltage Products and Systems » Control Products » Electronic Relays and Controls » Interface Relays and Optocouplers

Ordoring				
Ordering EAN:	4013614497285			
Minimum Order Quantity: Customs Tariff Number:	10 piece 85364900			
Customs farm number:	00004900			
Dimensions				
Product Net Width:	21.2 mm			
Product Net Height:	35.6 mm			
Product Net Depth:	27.5 mm			
Product Net Weight:	0.033 kg			
Container Information				
Package Level 1 Units:	10 piece			
Package Level 1 Width:	114 mm			
Package Level 1 Height:	61 mm			
Package Level 1 Length:	50 mm			
Package Level 1 Gross Weight:	0.35 kg			
Package Level 1 EAN:	4013614373121			
Technical				
	Diversities an interface and as OD M			
Function: Sub-Function:	Pluggable miniature interface relay CR-M			
Output:	Relay w/o built in LED 2 c/o (SPDT) contacts			
Output. Output Signal:	250 V / 12 A			
Rated Control Supply Voltage (U _s):				
Tated control oupply voltage (og).				
Environmental				
RoHS Status:	Following EU Directive 2011/65/EC			
Certificates and Declarations (Document Number)				
CCC Certificate:	CCC_2014010303720193			
CSA Certificate:	CSA_2735700			
cUR Certificate:	cUR_E244330			
Declaration of Conformity - CE:	1SAD938501-0159			
EAC Certificate:	EAC_RU_C-PL.ME77.B.01873			
GOST Certificate:	GOST_POCC_DE.AB76.D02256			
RMRS Certificate:	RMRS_12.04008.250			
RoHS Information:	1SAA981040-4404			
UR Certificate:	UR_E244330			
VDE Certificate:	VDE_40040327			
Classifications				
Object Classification Code:	К			
ETIM 4:	EC001437 - Switching relay			
ETIM 5:	EC001437 - Switching relay			
UNSPSC:	39121500			
eClass:	7.0 27371601			







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
CR-M012DC2 Pluggable interface relay 2c/o, A1-A2=12VDC, 250V/12A	1SVR405611R4000	CR- M012DC2	Buy on EAN