



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	CP-C 24/10.0
Product ID:	1SVR427025R0000
EAN:	4013614368684
Catalog Description:	CP-C 24/10.0 Power supply In:110-240VAC/100-350VDC Out:DC 24V/10A
Long Description:	The CP-C 24/10.0 is a power supply from the CP-C range. The primary switch mode power supply offers a wide range input of 85-264 V AC and 100-350 V DC, rated input voltage is 110-240 V AC. The rated output power is 240 W, rated output current is 10 A at an output voltage of 24 V DC. The output voltage is adjustable within a range of 22 to 28 V DC. The power supply provides a U/I output characteristic with a power reserve of up to 20 % and allows parallel operation to increase capacity and to enable redundancy. Further features are: pluggable connecting terminals and power factor correction acc. to EN 61000-3-2. Messaging module, redundancy unit and control module are available as accessories.

Categories

Products » Low Voltage Products and Systems » Control Products » Power Supplies
 Parts & Services » Drives » Medium Voltage AC Drives » Special Purpose Drives » ACS5000 water cooled

Ordering

EAN:	4013614368684
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85044090

Dimensions

Product Net Width:	93.5 mm
Product Net Height:	130 mm
Product Net Depth:	135.5 mm
Product Net Weight:	1.368 kg

Container Information

Package Level 1 Width:	142 mm
Package Level 1 Length:	135 mm
Package Level 1 Height:	112 mm
Package Level 1 Gross Weight:	1.494 kg
Package Level 1 Units:	1 piece

Technical

Function:	Switch mode power supply
Number of Phases:	1
Input Voltage (U _{in}):	85 ... 264 V AC 110 ... 350 V DC
Output Voltage (U _{out}):	24 V DC
Output Current:	10 A
Output Power:	240 W

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
--------------	---

Certificates and Declarations (Document Number)

CB Certificate:	CB_DK-35488-UL
cUL Certificate:	cUL508_E174460 cUL1604_E215666
cUR Certificate:	cUR60950_E196145
Declaration of Conformity - CE:	1SAD938503-0147
EAC Certificate:	EAC_RU_C-DE.ME77.B.01651
GOST Certificate:	GOST_POCC_CN.AB76.B00924
RoHS Information:	1SAA981008-4404
UL Certificate:	UL508_E174460 UL1604_E215666
UR Certificate:	UR60950_E196145

Classifications

eClass:	7.0 27049002
---------	--------------

E-nummer:	5218708
ETIM 4:	EC002540 - DC-power supply
ETIM 5:	EC002540 - DC-power supply
Object Classification Code:	T
UNSPSC:	39121100

Where Used (as a spare part for "Products")

1 Products (0 listed / 1 unlisted)		Filter	
Identifier	Description	Qty	Unit Of Measure
ACS 5000 Water Cooled	No Description Available	1	piece

Product specific part data

1 Products		Filter	
Product	Category	Drive Part Category	
ACS 5000 Water Cooled	ACS5000 water cooled	Boards, Control Units, Power Supplies	





Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
CP-C 24/10.0 Power supply In:110-240VAC/100-350VDC Out:DC 24V/10A	1SVR427025R0000	CP-C 24/10.0	Buy on EAN