



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	F404A-K40/0,03
Product ID:	2CCF544310E0400
EAN:	7612270104321
Catalog Description:	F404A-K40/0,03 Residual current operated circuit breaker 4 Poles 40A ~230/400V
Long Description:	F404A-K40/0,03 Residual current operated circuit breaker 4 Poles 40A - ~230/400V

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Plug-in Distribution Systems

Ordering

EAN:	7612270104321
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85362020

Dimensions

Product Net Width:	72 mm
Product Net Height:	91 mm
Product Net Length:	72 mm
Product Net Depth:	75 mm
Product Net Weight:	0.430 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	100 mm
Package Level 1 Height:	90 mm
Package Level 1 Length:	75 mm
Package Level 1 Gross Weight:	0.058 kg
Package Level 1 EAN:	7612270104321

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
--------------	---

Additional Information

Frequency (f):	50 ... 60 Hz
IIT Publishing Status:	Level 0 - Information enabled
Number of Poles:	4
Power Loss:	2.4 W
Product Main Type:	F404
Product Name:	F404
Rated Current (I_n):	40 A
Rated Operational Current (I_e):	40 A
Rated Operational Voltage:	230 / 400 V AC
Rated Residual Current:	0.03 AMPx
Rated Voltage (U_r):	230 / 400 V
Standards:	EN61008-1
Tripping Characteristic:	K

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	2CCC451059C0202
Declaration of Conformity - CE:	2CCY451110D0601
RoHS Information:	2CCC451021D0201

Classifications

ETIM 4:	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 5:	EC002297 - Residual current circuit breaker (RCCB) module
Object Classification Code:	FB





Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
F404A-K40/0,03 Residual current operated circuit breaker 4 Poles 40A ~230/400V	2CCF544310E0400	F404A-K40/0.03	Buy on EAN