



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

| | |
|------------------------|--|
| Extended Product Type: | S2C-H6R |
| Product ID: | 2CDS200912R0001 |
| EAN: | 4016779563826 |
| Catalog Description: | S2C-H6R - Auxiliary Contact |
| Long Description: | Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs. |

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Miniature Circuit Breakers MCBs Accessories
» Auxiliary / Signal Contacts

Ordering

| | |
|-------------------------|---------------|
| EAN: | 4016779563826 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85389099 |

Dimensions

| | |
|---------------------|----------|
| Product Net Width: | 8.8 mm |
| Product Net Height: | 85 mm |
| Product Net Depth: | 69 mm |
| Product Net Weight: | 0.043 kg |

Container Information

| | |
|-------------------------------|---------------|
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 20 mm |
| Package Level 1 Height: | 115 mm |
| Package Level 1 Length: | 104 mm |
| Package Level 1 Gross Weight: | 0.045 kg |
| Package Level 1 EAN: | 4016779678865 |
| Package Level 2 Units: | 60 piece |
| Package Level 2 Width: | 820 mm |
| Package Level 2 Height: | 560 mm |
| Package Level 2 Length: | 1200 mm |
| Package Level 2 Gross Weight: | 7 kg |
| Package Level 2 EAN: | 4016779946193 |

Environmental

| | |
|--------------|---|
| RoHS Status: | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|--------------|---|

Additional Information

| | |
|-----------------------------|--|
| Accessory Type: | Auxiliary Contact |
| Function: | Auxiliary Contact |
| Product Main Type: | S2C |
| Product Name: | Auxiliary Contact |
| RoHS Date: | 0335 |
| Standards: | UL 1077 GB14048.5 CSA Class 3215-30 CSA Class 3215-90 IEC/EN 60947-5-1 |
| Suitable For: | S200 S200M S200P S200S SN201L SN201 SN201M F200 DS201 DS202C DS200 |
| Suitable for Product Class: | Miniature Circuit Breaker Residual Current Device |

Certificates and Declarations (Document Number)

| | |
|------------------------------------|-----------------|
| Data Sheet, Technical Information: | 2CSC400002D0208 |
| Declaration of Conformity - CE: | 2CDK403006D0401 |
| RoHS Information: | 2CDK440016K0201 |

Classifications

| | |
|-----------|--|
| eClass: | 7.0 27143502 |
| E-nummer: | 2102500 |
| ETIM 4: | EC001286 - Auxiliary contact unit for distribution board |
| ETIM 5: | EC001286 - Auxiliary contact unit for distribution board |





Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

| Product | Code | Reference | Product link |
|-----------------------------|-----------------|-----------|----------------------------|
| S2C-H6R - Auxiliary Contact | 2CDS200912R0001 | S2C-H6R | Buy on EAN |