



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

### General Information

<b>Extended Product Type:</b>	F204 AC-40/0,1
<b>Product ID:</b>	2CSF204001R2400
<b>EAN:</b>	8012542781608
<b>Catalog Description:</b>	F204 AC-40/0,1 Residual Current Dev.
<b>Long Description:</b>	The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications.

### Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

### Ordering

<b>EAN:</b>	8012542781608
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85363030

### Dimensions

<b>Product Net Width:</b>	0.070 m
<b>Product Net Height:</b>	0.085 m
<b>Product Net Depth:</b>	0.069 m
<b>Product Net Weight:</b>	0.360 kg

### Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	0.082 m
<b>Package Level 1 Height:</b>	0.078 m
<b>Package Level 1 Length:</b>	0.096 m
<b>Package Level 1 Gross Weight:</b>	0.403 kg
<b>Package Level 1 EAN:</b>	8012542781608

### Technical

<b>Standards:</b>	EN 61008 UL 1053
<b>Operating Characteristic:</b>	Instantaneous
<b>Type of Residual Current:</b>	AC type
<b>Rated Residual Current:</b>	100 mA
<b>Rated Current (I<sub>n</sub>):</b>	40 A
<b>Number of Poles:</b>	4
<b>Position of Neutral Terminals:</b>	Right
<b>Power Loss:</b>	at Rated Operating Conditions per Pole 3.2 W
<b>Rated Voltage (U<sub>r</sub>):</b>	230/400 V

### Environmental

<b>RoHS Status:</b>	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3
---------------------	---

### Certificates and Declarations (Document Number)

<b>Declaration of Conformity - CE:</b>	ITSCE116F200
<b>RoHS Information:</b>	2CSC423001K0201

### Classifications

<b>Object Classification Code:</b>	Q
<b>ETIM 4:</b>	EC000003 - Residual current circuit breaker (RCCB)
<b>ETIM 5:</b>	EC000003 - Residual current circuit breaker (RCCB)





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
F204 AC-40/0,1 Residual Current Dev.	2CSF204001R2400	F204AC-40/0,1	<a href="#">Buy on EAN</a>