



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

AMT1-A1-15/96



General Information

Extended Product Type:	AMT1-A1-15/96
Product ID:	2CSG313050R4001
EAN:	8012542548409
Catalog Description:	AMT1-A1-15/96 Analogue ammeter
Long Description:	AMT1-A1-15/96 is a 96x96mm fonrt-panel analogue ammeter used in ac networks. Direct insertion.

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Modular DIN Rail Components MDRCs » Modular Measuring Instruments

EAN:	8012542548409
Minimum Order Quantity:	1 piece
Customs Tariff Number:	90303100
Dimensions	
Product Net Width:	0.053 m
Product Net Height:	0.096 m
Product Net Depth:	0.096 m
Product Net Weight:	0.400 kg
Container Information	
Package Level 1 Units:	1 piece
Package Level 1 Width:	0.12 m
Package Level 1 Height:	0.1 m
Package Level 1 Length:	0.1 m
Package Level 1 Gross Weight:	0.4 kg
Package Level 1 EAN:	8012542548409
Technical	
Meter Type:	Analogue
	Front-panel
wounting type:	FIUIL-parter
Mounting Type: Dimensions:	96 mm x 96 mm
Dimensions:	•
U U	96 mm x 96 mm
Dimensions: Current Range: Power Loss:	96 mm x 96 mm 15 A
Dimensions: Current Range: Power Loss:	96 mm x 96 mm 15 A
Dimensions: Current Range: Power Loss: Environmental RoHS Status:	96 mm x 96 mm 15 A at Rated Operating Conditions per Pole 1.5 W Following EU Directive 2002/95/EC August 18, 2005 and amendment
Dimensions: Current Range: Power Loss: Environmental RoHS Status: Certificates and Declarations (I	96 mm x 96 mm 15 A at Rated Operating Conditions per Pole 1.5 W Following EU Directive 2002/95/EC August 18, 2005 and amendment
Dimensions: Current Range: Power Loss: Environmental RoHS Status:	96 mm x 96 mm 15 A at Rated Operating Conditions per Pole 1.5 W Following EU Directive 2002/95/EC August 18, 2005 and amendment Document Number)
Dimensions: Current Range: Power Loss: Environmental RoHS Status: Certificates and Declarations (I Declaration of Conformity - CE: RoHS Information:	96 mm x 96 mm 15 A at Rated Operating Conditions per Pole 1.5 W Following EU Directive 2002/95/EC August 18, 2005 and amendment Document Number) ITSCE029AMT
Dimensions: Current Range: Power Loss: Environmental RoHS Status: Certificates and Declarations (I Declaration of Conformity - CE: RoHS Information: Classifications	96 mm x 96 mm 15 A at Rated Operating Conditions per Pole 1.5 W Following EU Directive 2002/95/EC August 18, 2005 and amendment Document Number) ITSCE029AMT
Dimensions: Current Range: Power Loss: Environmental RoHS Status: Certificates and Declarations (I Declaration of Conformity - CE:	96 mm x 96 mm 15 A at Rated Operating Conditions per Pole 1.5 W Following EU Directive 2002/95/EC August 18, 2005 and amendment Document Number) ITSCE029AMT 2CSC445003K0201







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
AMT1-A1-15/96 Analogue ammeter	2CSG313050R4001	AMT1-A1-15/96	Buy on EAN