



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

CT12/500



General Information

Extended Product Type:	CT12/500
Product ID:	2CSG721160R1101
EAN:	8012542607700
Catalog Description:	lprim 500 A
Long Description:	CT12/500 is used to transform primary currents to/5A secondary currents for c.a. measurement instruments

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Modular DIN Rail Components MDRCs » Modular Measuring Instruments

Ordering	
----------	--

eraering	
EAN:	8012542607700
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363030

Dimensions

Product Net Width:	0.070 m
Product Net Height:	0.196 m
Product Net Depth:	0.180 m
Product Net Weight:	1.600 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Gross Weight:	0.700 kg
Package Level 2 Units:	1 piece
Package Level 2 Gross Weight:	0.700 kg

Technical

Cable Use: Ca	
	able and Horizontal bar
Cable Cross-Section: 2	x 50 mm
Rated Cross-Section: 12	25 x 50 mm
Rated Primary Current (Ipn): 50	A 00

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	ITSCE115CT	
RoHS Information:	2CSC445004K0201	

Classifications

ETIM 4:	EC002048 - Current transformer
ETIM 5:	EC002048 - Current transformer







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
lprim 500 A	2CSG721160R1101	CT12/500	Buy on EAN