



## Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## DS201 L C32 APR30



## General Information Extended Product Type: DS201 L C32 APR30 Product ID: 2CSR245440R1324 EAN: 8012542175704 Catalog Description: DS201 L C32 APR30 - RCBO Long Description: DS201 L C32 APR30 - RCBO Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protection of end user single-phase circuits against overload and short-circuit currents; provides an optimal trade-off between safety and continuity of service, thanks to the resistance to unwanted trippings; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA); protection and isolation of resistive and inductive loads.

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Circuit Breakers with Overcurrent Protection RCBO

Ordering	
EAN:	8012542175704
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363030
Dimensions	
Product Net Width:	0.035 m
Product Net Height:	0.085 m
Product Net Depth:	0.069 m
Product Net Weight:	0.239 kg
Container Information	
	5 piece
Package Level 1 Units: Package Level 1 Width:	5 piece 0.253 m
-	0.233 m
Package Level 1 Height: Package Level 1 Length:	0.108 m
Package Level 1 Gross Weight:	1.446 kg
Package Level 1 EAN:	8012542175711
Tachage Level T LAN.	0012072110111
Technical	
Standards:	IEC 61009-1 IEC 61009-2-1 EN 61009-1 EN 61009-2-1
Type of Residual Current:	A type
Rated Residual Current:	30 mA
Tripping Characteristic:	С
Rated Current (I <sub>n</sub> ):	32 A
Number of Poles:	2
Number of Protected Poles:	1
Rated Short-Circuit Capacity (Icn):	(230 / 400 V AC) 4.5 kA
Position of Neutral Terminals:	Right
Power Loss:	5.9 W
Environmental	
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Certificates and Declarations (D	
Declaration of Conformity - CE:	2CSC421001D2702
RoHS Information:	2CSC422002K0201
Classifications	
Object Classification Code:	Q
ETIM 4:	EC000905 - Earth leakage circuit breaker
ETIM 5:	EC000905 - Earth leakage circuit breaker







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
DS201 L C32 APR30 - RCBO	2CSR245440R1324	DS201LC32APR30	Buy on EAN