



## Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## DS201 M C40 APR30



## General Information Extended Product Type: DS201 M C40 APR30 Product ID: 2CSR275440R1404 EAN: 8012542114857 Catalog Description: DS201 M C40 APR30 - RCBO Long Description: DS201 M C40 APR30 - RCBO Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protection of end user single-phase circuits against overload and short-circuit currents; provides an optimal trade-off between safety and continuity of service, thanks to the resistance to unwanted trippings; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA); protection and isolation of resistive and inductive loads.

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Circuit Breakers with Overcurrent Protection RCBO

| Ordering                            |   |
|-------------------------------------|---|
| EAN:                                | 8012542114857   |
| Minimum Order Quantity:             | 1 piece   |
| Customs Tariff Number:              | 85363030  |
|                                     |   |
| Dimensions                          |   |
| Product Net Width:                  | 0.035 m   |
| Product Net Height:                 | 0.085 m   |
| Product Net Depth:                  | 0.069 m   |
| Product Net Weight:                 | 0.239 kg  |
|                                     |   |
| Container Information               |   |
| Package Level 1 Units:              | 5 piece   |
| Package Level 1 Width:              | 0.253 m   |
| Package Level 1 Height:             | 0.088 m   |
| Package Level 1 Length:             | 0.108 m   |
| Package Level 1 Gross Weight:       | 1.446 kg<br>8012542114864                                       |
| Package Level 1 EAN:                | 0012042114004   |
| Technical                           |   |
| Standards:                          | IEC 61009-1<br>IEC 61009-2-1<br>EN 61009-1<br>EN 61009-2-1      |
| Type of Residual Current:           | A type  |
| Rated Residual Current:             | 30 mA   |
| Tripping Characteristic:            | C   |
| Rated Current (I <sub>n</sub> ):    | 40 A  |
| Number of Poles:                    | 2   |
| Number of Protected Poles:          | 1   |
| Rated Short-Circuit Capacity (Icn): | (230 / 400 V AC) 10 kA  |
| Position of Neutral Terminals:      | Right   |
| Power Loss:                         | 8.6 W   |
|                                     |   |
| Environmental                       |   |
| RoHS Status:                        | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|                                     |   |
| Certificates and Declarations (D    |   |
| Declaration of Conformity - CE:     | 2CSC421001D2702   |
| RoHS Information:                   | 2CSC422002K0201   |
| Classifications                     |   |
| Object Classification Code:         | Q   |
| ETIM 4:                             | EC000905 - Earth leakage circuit breaker                        |
| ETIM 5:                             | EC000905 - Earth leakage circuit breaker                        |
|                                     |   |







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

| Product                  | Code            | Reference      | Product link |
|--------------------------|-----------------|----------------|--------------|
| DS201 M C40 APR30 - RCBO | 2CSR275440R1404 | DS201MC40APR30 | Buy on EAN   |