



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

## General Information

Extended Product Type:	OVR T2-T3 1N 20-275 P TS QS
Product ID:	2CTB803972R1300
EAN:	3660308520654
Catalog Description:	OVR T2-T3 1N 20-275 P TS QS
Long Description:	OVR T2-T3 1N 20-275 P TS QS

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Surge Protective Devices SPDs » Surge Protective Devices SPD Class II

## Ordering

Product Main Type:	T2-T3
EAN:	3660308520654
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363090

## Technical

Type of Low Voltage Distribution System:	TT TN-S
Nominal AC Voltage of the System (U <sub>o</sub> ):	230 / 400 V
Number of Protected Poles:	2
Arrester Class:	II III
Standards:	IEC 61643-11 / EN 61643-11
Product Type:	QS
Remote Indicator:	Yes
Version:	Plug-in
Discharge Current (I <sub>max</sub> ):	Nominal 5 kA Maximum 20 kA Total 40 kA
Impulse Current:	10 / 350 μs (L-N) 2 kA 10 / 350 μs (N-PE) 12.5 kA
Maximum Continuous Operating Voltage (U <sub>c</sub> ):	(L-PE) 275 V (L-L) - V (L-N) 275 V (N-PE) 275 V
Voltage Rating DC:	350 V
Voltage Protection Level (U <sub>p</sub> ):	(L-N) 0.9 kV (N-PE) 1.4 kV (L-PE) - kV
Short Circuit Withstand I <sub>cc</sub> :	100 kA
Temporary Overvoltage Test Value (U <sub>T</sub> ):	(L-N) 337 V (N-PE) 1200 V
Short-Circuit Protective Devices:	Curve B Breakers ≤ 125 A Curve C Breakers ≤ 125 A gL Type Fuses ≤ 125 A gG Type Fuses ≤ 125 A
Auxiliary Circuit Load:	Minimum 12Vdc - 10mA Maximum 250Vac - 1A
Power Loss:	17 mW
Product Name:	Surge Protective Devices
Suitable For:	To protect the systems against the transient overvoltage (lightning)

## Dimensions

Product Net Width:	35,6 mm
Product Net Depth:	58 mm
Product Net Height:	95 mm
Product Net Weight:	240 g
Width in Number of Modular Spacings:	2

## Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	117 mm
<b>Package Level 1 Length:</b>	41 mm
<b>Package Level 1 Height:</b>	82 mm
<b>Package Level 1 Gross Weight:</b>	250 g
<b>Package Level 1 EAN:</b>	3660308520654

---

**Certificates and Declarations (Document Number)**

<b>Data Sheet, Technical Information:</b>	2CTC432270D0201
<b>Declaration of Conformity - CE:</b>	2CTC436004G1701
<b>Instructions and Manuals:</b>	2CTC432096M1701

---

**Classifications**

<b>ETIM 4:</b>	EC000941 - Surge protection device for power supply systems
<b>ETIM 5:</b>	EC000941 - Surge protection device for power supply systems





**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
OVR T2-T3 1N 20-275 P TS QS	2CTB803972R1300	OVRT2-T31N20-275PT	<a href="#">Buy on EAN</a>