



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

### General Information

Extended Product Type:	OVR PV 40-1500 P TS BW
Product ID:	2CTB804153R2100
EAN:	3660308524836
Catalog Description:	OVR PV 40-1500 P TS BW
Long Description:	OVR PV 40-1500 P TS BW

### Additional Information

Arrester Class:	II
Auxiliary Circuit Load:	Minimum 12Vdc - 10mA Maximum 250Vac - 1A
Catalog Description:	OVR PV 40-1500 P TS BW
Country of Origin:	Bulgaria (BG)
Customs Tariff Number:	85354000
Data Sheet, Technical Information:	2CTC432321D1701
Declaration of Conformity - CE:	2CTC436004G1701
Discharge Current ( $I_{max}$ ):	Nominal 15 kA Maximum 40 kA
EAN:	3660308524836
ETIM 4:	EC000941 - Surge protection device for power supply systems
ETIM 5:	EC000941 - Surge protection device for power supply systems
Impulse Current:	2 kA
Instructions and Manuals:	2CTC432086M1701
Invoice Description:	OVR PV 40-1500 P TS BW
Maximum Continuous Operating Voltage ( $U_c$ ):	1500 V
Minimum Order Quantity:	1 piece
Number of Poles:	2
Number of Protected Poles:	2
Object Classification Code:	141DCC
Package Level 1 EAN:	3660308524836
Package Level 1 Gross Weight:	400 g
Package Level 1 Height:	82 mm
Package Level 1 Length:	61 mm
Package Level 1 Units:	1 piece
Package Level 1 Width:	117 mm
Product Main Type:	T2
Product Name:	Surge Protective Devices
Product Net Depth:	58 mm
Product Net Height:	95 mm
Product Net Weight:	375 g
Product Net Width:	53.4 mm
Remote Indicator:	Yes
Selling Unit of Measure:	piece
Short Circuit Withstand $I_{cc}$ :	10 kA
Short Description:	OVR PV 40-1500 P TS BW
Standards:	IEC 61 643-11 / EN 50539-11
Suitable For:	To protect the systems against the transient overvoltage (lightning)
Version:	Plug-in
Voltage Protection Level ( $U_p$ ):	(L-N) 4,5 kV (N-PE) 4,5 kV (L-PE) 4,5 kV
Voltage Rating DC:	1500 V
Width in Number of Modular Spacings:	3





**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
OVR PV 40-1500 P TS BW	2CTB804153R2100	OVRPV40-1500PTSBW	<a href="#">Buy on EAN</a>