



**Electric Automation**  
Automation specialists

Reference: OTL16T4B  
Code: 1SCA022580R5150

OTL16T4B Safety switch

Buy it at [Electric Automation Network](#)



Safety switch 4-p.400V AC23A 7.5kW AC22A 16A Steel enclosure IP65 Black Selector handle

### Ordering

EAN:	6417019187846
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

### Dimensions

Product Net Width:	150 mm
Product Net Height:	200 mm
Product Net Depth:	100 mm
Product Net Weight:	1.8 kg

### Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	152 mm
Package Level 1 Height:	138 mm
Package Level 1 Length:	203 mm
Package Level 1 Gross Weight:	1.9 kg

Package Level 1 EAN:	6417019187846
----------------------	---------------

## Environmental

RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2009 Q4
--------------	---

## Additional Information

Cable Entry Position:	Top and bottom
Cable Outlets Per Side:	Flange B
Conventional Thermal Current ( $I_{the}$ ):	Fully Enclosed 32 A
Degree of Protection:	acc. to IEC 60529 IP65
Dimensions:	150 mm x 200 mm x 100 mm
Enclosure Material:	Steel sheet
IIT Publishing Status:	Level 0 - Information enabled
Number of Auxiliary Contacts NO:	1
Number of Poles:	4
Order Multiple:	1 piece
Pollution Degree:	3
Position of Line Terminals:	Top In - Bottom Out
Position of PE Terminals:	Top In - Bottom Out
Product Main Type:	OT16
Product Name:	Safety switch
Rated Operational Current AC-22A ( $I_e$ ):	(500 V) 40 A (690 V) 40 A
Rated Operational Current AC-23A ( $I_e$ ):	(380 ... 415 V) 16 A (500 V) 16 A (690 V) 10 A
Rated Operational Power AC-23A ( $P_e$ ):	(220 ... 240 V) 5,5 kW (400 V) 7,5 kW (500 V) 7,5 kW (690 V) 7,5 kW
Rated Operational Voltage:	750 V

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SCC340006C0201
Declaration of Conformity - CE:	1SCC340005D0203
RoHS Information:	1SCC340034D0201

## Classifications

ETIM 5:	EC000249 - Protection switch disconnecter housing
Object Classification Code:	Q