



Electric Automation
Automation specialists

Reference: OT400U_CP
Code: 1SCA022771R2300

OT400U04CP CHANGE-OVER SWITCH

Buy it at Electric Automation Network



The change-over switches include a black handle IP65see the table below, Nema type 1, 3R, 12, a shaft and a bolt set for the cable connection and a set of phase separators.

Ordering

EAN:	6417019251653
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

Dimensions

Product Net Width:	305 mm
Product Net Height:	185 mm
Product Net Depth:	203 mm
Product Net Weight:	8.1 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	240 mm
Package Level 1 Height:	218 mm
Package Level 1 Length:	325 mm
Package Level 1 Gross Weight:	7.57 kg
Package Level 1 EAN:	6417019251653

Environmental

RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2009 Q4
--------------	---

Technical UL/CSA

Ampere Rating UL/CSA:	400 A
Horsepower Rating UL/CSA:	(acc. to UL 240 V) 125 Hp (acc. to UL 480 V) 250 Hp (acc. to UL 600 V) 350 Hp

Additional Information

Conventional Free-air Thermal Current (I_{th}):	$\eta = 40\text{ °C}$ 400 A
IIT Publishing Status:	Level 0 - Information enabled
Number of Poles:	4
Operating Mechanism:	Mechanism at the end of the switch
Pollution Degree:	3
Position of Line Terminals:	Top In - Bottom Out
Power Loss:	at Rated Operating Conditions per Pole 10 W
Product Main Type:	OT400U_C
Product Name:	CHANGE-OVER SWITCH
Rated Impulse Withstand Voltage (U_{imp}):	12 kV
Rated Insulation Voltage (U_i):	1000 V
Rated Operational Current AC-21A (I_e):	(690 V) 400 A
Rated Operational Current AC-22A (I_e):	(500 V) 400 A (690 V) 400 A
Rated Operational Current AC-23A (I_e):	(500 V) 400 A (690 V) 400 A
Rated Operational Voltage:	1000 V
Rated Short-time Withstand Current (I_{cw}):	for 1 s 15 kiloampere rms

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SCC301020C0201
Declaration of Conformity - CE:	1SCC303007D0202
RoHS Information:	1SCC301149D0202

Classifications

ETIM 5:	EC000216 - Switch disconnecter
Object Classification Code:	Q

