



**Electric Automation**  
Automation specialists

Reference: MP1-31L  
Code: 1SFA611100R3104

MP1-31L Pushbutton

Buy it at [Electric Automation Network](#)



Modular Pushbutton - Momentary - Flush - Blue - Illuminated - Chrome metal - No contact block

+  
-

Where Used (as a spare part for "Products")

Identifier	Description	Qty	Unit Of Measure
ACS 2000	MP1-31L Pushbutton	1	piece
ACS 5000 Water Cooled	MP1-31L Pushbutton	1	piece

## Ordering

EAN:	7320500261354
Minimum Order Quantity:	10 piece
Customs Tariff Number:	85369001

## Dimensions

Product Net Width:	0.029 m
Product Net Height:	0.029 m
Product Net Depth:	0.033 m
Product Net Weight:	0.031 kg

## Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	0.11 m
Package Level 1 Height:	0.029 m
Package Level 1 Length:	0.15 m
Package Level 1 Gross Weight:	0.031 kg

## Environmental

Ambient Air Temperature:	Operation -25 ... +70 °C Storage -30 ... +85 °C
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Additional Information

Actuator Type:	Flush
Bezel Material:	Chrome metal
Block:	No contact block
Color:	Blue
Function:	Momentary
IIT Publishing Status:	Level 0 - Information enabled
Illumination:	Illuminated
Mechanical Durability:	2 million
Product Main Type:	MP1
Product Name:	Pushbutton
Product Range:	Modular
Product Type:	MP
RoHS Date:	0635 4
Technical Information:	ILLUMIN PUSHBUTTO

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SFC151003C0201
Declaration of Conformity - CE:	1SFA1-83
RoHS Information:	1SFC151011D0203

## Classifications

E-number:	3715304
ETIM 4:	EC002024 - Accessories for control circuit devices

ETIM 5:	EC002024 - Accessories for control circuit devices
Object Classification Code:	S
UNSPSC:	39121512