




**Electric Automation**  
Automation specialists

Reference: CL-LST.C12DC2  
Code: 1SVR440711R1300

CL-LST.C12DC2 Logic relay 24VDC,  
8I/4O, transistor

Buy it at Electric Automation Network



The CL-LST.C12DC2 is a logic relay from the CL range. It has 8 digital inputs and 4 transistor outputs. The logic relay operates with an input voltage of 24 V DC and is equipped with an onboard display and a keypad. 128 rungs with 3 contacts in series plus 1 coil can be programmed. The following functions are available: 16 freely editable display texts, 8 week and 8 year timers, 16 multifunction timing relays, 4 operating hours counters, 16 analog value comparators, threshold value switches, 2 high-speed counters and 2 frequency counters.

## Ordering

EAN:	4013614389559
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85371091

## Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	78 mm
Package Level 1 Height:	67 mm
Package Level 1 Length:	94 mm
Package Level 1 Gross Weight:	0.238 kg

## Dimensions

Product Net Width:	71.5 mm
Product Net Depth:	58 mm
Product Net Height:	90 mm
Product Net Weight:	0.2 kg

## Technical

Function:	Logic relays stand alone
Sub-Function:	Non expandable
Number of Digital In/Outputs:	8 Digital Inputs / 4 Transistor Outputs
Rated Operational Voltage:	24 V DC

## Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
--------------	---

## Certificates and Declarations (Document Number)

CSA Certificate:	CSA_1875990
Declaration of Conformity - CE:	1SAD938500-0231
GL Certificate:	GL_44543-07HH
GOST Certificate:	GOST_0197271
LR Certificate:	LR_07_20020
RoHS Information:	1SAA981046-4401
UL Certificate:	UL_E179811

## Classifications

Object Classification Code:	K
ETIM 4:	EC001417 - Logic module
ETIM 5:	EC001417 - Logic module
eClass:	7.0 27242216
UNSPSC:	39121500