



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>

#### **DSP 400/1,5**



### Advantages

Low weight and small size (compared to isolating transformers)

Very high efficiency

Very good moisture protection and low noise thanks to BLOCKIMPEX vacuum impregnation  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 


Contact protected screw connection terminals complying with UVV BGV A3

Simple mounting thanks to robust metal fixing rail with oval slots

## **Applications**

 $\label{prop:prop:prop:prop:prop:setting} \ \ \text{Autotransformer for example for setting the speed of single-phase fan motors.}$ 

## Sample application



#### Standards



Autotransformer to: VDE 0570 Teil 2-13, DIN EN 61558-2-13, EN 61558-2-13, IEC 61558-2-13  $\,$ 

## **Approvals**





# Autotransformer **DSP 400/1,5**

	Туре	DSP 400/1,5	Туре			DSP 400/1,5	
Electrical data 🕇 🤿	Input		0	Safety and protection Type			
	Rated input voltage	3 x 400 Vac	<u>س</u> _	Туре		Open type	
	Rated frequency	50 - 60 Hz		Terminal and mounting			
	Output		ta	Terminals Fixing method Fixing screws Measures and weights Weight		Screw-type ter	rminals
	Rated output voltage	3 x 240 Vac/3 x 230 Vac 3 x 190 Vac/3 x 170 Vac/3 x 130 Vac	al da			Fixing rail M5	
	Rated output current	3 x 1.5 A	<u>`</u>				
	Vector group	YNaO	la l	Weight		3.80 kg	
	Environment		<u></u>	VVCigiti		0.00 kg	
	Ambient temperature max.	40 °C		F1			_
	Safety and protection				Ť		
	Class of Insulation System	E		+ +			ן ייון
	Protection index	IP 00		<del></del>			
	Safety class (prepared)	1			60.0		
	Short circuit strength	non-short-circuit proof			00.0		
	Order numbers						
	Order Number	DSP 400/1,5					
				+ + +	₩	, [	الله
							(
				113.0			19.0
				113.0		- 6	37 O

133.0





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link	
Autotransformer PRI 3 x 400 Vac, SEC 3 x 130/170/190/230/240 Vac	DSP40015	DSP 400/15	Buy on EAN	