



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>

Safety isolating transformer **EL 100/9**



Standards

Safety isolating transformer to: VDE 0570 Part 2-6, DIN EN 61558-2-6, EN 61558-2-6, IEC 61558-2-6

0

Advantages

Solder tab for free wiring

Very good corrosion protection and low noise thanks to $\ensuremath{\mathsf{BLOCKIMPEX}}$ vacuum impregnation


Coil shell in 2-chamber technology

Simple mounting thanks to robust metal footplate with oval slots

Applications

Safety isolating transformer for the safe electrical isolation of the input and output sides. The transformer is suitable for creating SELV and PELV circuits because of the limit on the output voltage.

Sample application









Safety isolating transformer **EL 100/9**

	Turne	EL 100/9		Turno	EL 100/9
	Туре	EL 100/9		Туре	EL 100/9
ہ +	Input		30	Terminal and mounting	
+	Rated input voltage	230 Vac		Fixing method	Base plate
	Rated frequency	50 - 60 Hz		Fixing screws	M4
al data	Output		data	Terminals	Solder tab for free wiring
	Rated output voltage	2 x 9 Vac	g	Measures and weights	
	Rated Power	100.0 VA		Core type	EI 84/43,5
읟	No-load voltage (app. x factor)	1.11		Weight	1.96 kg
Electrical	No-load loss (typ.)	4.70 W			
en le	Efficiency	88 %	0		
	Environment		Š		
	Ambient temperature max.	40 °C			
	Safety and protection				
	Туре	Open type			
	Class of Insulation System	E			
	Protection index	IP 00			
	Safety class (prepared)	II			
	Short circuit strength	non-short-circuit proof			
	Overload protection	Typ PTC 810 (Accessory - available on request)			
	Test voltage	4000 Vac, 50 Hz			
	Order numbers				
	Order Number	EL 100/9			
				64.0 84.0	63.5







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
Safety isolating transformer open type, for wiring, PRI 230 V, SEC 7.5 - 100 VA, 2 x 6 - 2 x 24 Vac	EL1009	EL 100/9	Buy on EAN