



# Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>

#### Safety isolating transformer **FLN 4/9**



## Standards

Safety isolating transformer to: VDE 0570 Part 2-6, DIN EN 61558-2-6, EN 61558-2-6, IEC 61558-2-6, UL 5085-1/-2, CSA 22.2 No.66


# **Applications**

As a mains transformer for adjustment of the voltage and simple electrical isolation.

As an isolating transformer for the safe electrical isolation of the input and output sides. The transformer may be used to set up protective separation as a protective measure.

As a safety isolating transformer for the safe electrical isolation of the input and output sides. The transformer is suitable for creating SELV and  $\ensuremath{\mathsf{PELV}}$ circuits because of the limit on the output voltage.

# Sample application







ENEC 10 (VDE), UL 5085-1/-2, CSA 22.2 No.66



BLOCK Transformatoren-Elektronik GmbH • Phone +49 4231 678-0 • info@block.eu



# Safety isolating transformer **FLN 4/9**

Туре	FLN 4/9	Туре		FLN 4/9
	Not for new designs	o Terminal and	1 mounting	
	Alternative type FL 4/9	Terminal and Terminals		Pins for PCB
Input		Measures ar	nd weights	
Rated input voltage Rated frequency	2 x 115 Vac	Core type	5.00	UI 30/7,5
Rated frequency	50 - 60 Hz	- Weight		0.15 kg
Output		Weight Hechanical data		
Output Rated output voltage Rated Power No-load voltage (app. x factor)	2 x 9 Vac	.e		<b>⊲</b> 37.5 ►
Rated Power	4.0 VA	Ja		
No-load voltage (app. x factor)	1.53	0	7	25.0
No-load loss (typ.)	0.85 W	Σ	9.0	
Efficiency	58 %			5.0
Standards				35.0
Classification	Safety isolating transformer		53.	
Approvals			19.8	Ø 0.8 10.0
Approvals	cURus, ENEC 10 (VDE)			
Environment			4.	
Ambient temperature max.	70 °C			15.0
Safety and protection				<b>→</b> 44.2 →
Туре	Encapsulated			
Class of Insulation System	В			
Protection index	IP 00			
Safety class (prepared)	II			
Short circuit strength	non-short-circuit proof			
Order numbers				
Order Number	FLN 4/9			







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

### To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
Low profile transformer Discontinued model, alternative type FL	FLN49	FLN 4/9	Buy on EAN