



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>



Advantages

Integrated short circuit and overload protection


Very good moisture protection and low noise thanks to XtraDenseFill resin encapsulation $\,$

Screw terminals under cover with strain relief

Applications

Safety isolating transformer for 12 V halogen lamps for the safe electrical isolation of the input and output sides. The transformer is suitable for creating SELV and PELV circuits because of the limit on the output voltage.

Sample application



Standards



Safety isolating transformer for halogen lamps to: VDE 0570 Teil 2-6, DIN EN 61558-2-6, EN 61558-2-6, IEC 61558-2-6

Approvals





Safety isolating transformer **HIT 60**

	Туре	HIT 60		Туре		HIT 60
data 두수	Input		30	Terminal and mounting		
	Rated input voltage Rated frequency	230 Vac 50 - 60 Hz	(7)	Fixing method		Fixing holes in the terminal connection compartment
	Output		ta	Terminals		Screw-type terminals
	Rated output voltage	11.5 Vac	data	Measures and weights		
g	Number of SEC-Circuits	1	Mechanical	Weight		1.42 kg
Electrical	for Lamps power	60 W	.e			
	Rated current	4.80 A	ы	14.2	550	.0 .0 .0
음	Efficiency	85.5 %		43		
	Standards		ž			
	Classification	Safety isolating transformer				
	Environment					
	Ambient temperature max.	40 °C		135.0		90.0
	Safety and protection					166.0
	Туре	Resin encapsulated transformer				
	Class of Insulation System	A				
	Protection index	IP 20				
	Safety class	II				
	Short circuit strength	non-inherently short-circuit proof				
	Test voltage	5000 Vac, 50 Hz				
	Order numbers					
	Order Number	HIT 60				







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
Safety isolating transformer for halogen lamps encapsulated, for 12 V-halogen lamps, PRI 230 Vac, SEC 60 - 300 W, 11.5 Vac	HIT60	HIT 60	Buy on EAN