



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>

TIM 500



Advantages

Safe galvanic isolation

Integrated short circuit and overload protection

Double output voltage for series or parallel connection


Very good moisture protection and low noise thanks to XtraDenseFill resin encapsulation (up to 300 VA)

Screw terminals under cover with strain relief

Applications

Isolating transformer for the safe electrical isolation of the input and output sides. The transformer may be used to set up protective separation as a protective measure in accordance with VDE 0100.

Sample application



Standards



Isolating transformer to: VDE 0570 Part 2-4, DIN EN 61558-2-4, EN 61558-2-4, IEC 61558-2-4 **Approvals**









Isolating transformer **TIM 500**

	Туре	TIM 500
Ĵ٢	Input	
1+	Rated frequency	50 - 60 Hz
	Rated input voltage	230 Vac
ta	Output	
Electrical data	Rated output voltage	2 x 115 Vac
	Rated Power	500 VA
	No-load voltage (app. x factor)	1.02
	No-load loss (typ.)	18.00 W
	Efficiency	92 %
	Approvals	
	Approvals	VDE, cURus
	Environment	
	Ambient temperature max.	40 °C
	Safety and protection	
	Туре	Encapsulated in metal housing
	Class of Insulation System	В
	Protection index	IP 20
	Safety class	I
	Short circuit strength	non-inherently short-circuit proof
	Test voltage	3750 Vac, 50 Hz
	Order numbers	
	Order Number	TIM 500











Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
Isolating transformer encapsulated, PRI 230 Vac, SEC 60 - 1000 VA, 2 x 115 Vac	TIM500	TIM 500	Buy on EAN