



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

# Autotransformer VT 50-EN



Picture shows VT 50-EN

## Advantages

Low weight and small size (compared to isolating transformers)

Very high efficiency

Very good moisture protection and low noise thanks to BLOCKIMPEX vacuum impregnation


Contact protected screw connection terminals complying with UVV BGV A3

Simple mounting thanks to robust metal fixing rail with oval slots

## Applications

Autotransformer for adjustment of the voltage on the input and output sides with no requirement for electrical isolation.

## Sample application



## Standards



Autotransformer  
to: VDE 0570 Teil 2-13, DIN EN 61558-2-13, EN 61558-2-13,  
IEC 61558-2-13, UL 5085-1/-2, CSA 22.2 No.66

## Approvals




UL 5085-1/-2, CSA 22.2 No.66



# Autotransformer VT 50-EN

Type		VT 50-EN
Electrical data	Input	
	Rated input voltage	110 Vac/125 Vac 230 Vac/240 Vac
	Rated frequency	50 - 60 Hz
	Output	
	Rated output voltage	110 Vac/125 Vac 230 Vac/240 Vac
	Rated Power	500 VA
	Approvals	
	Approvals	cURus
	Environment	
	Ambient temperature max.	40 °C
Safety and protection		
Type	Open type	
Class of Insulation System	E	
Protection index	IP 00	
Safety class (prepared)	I	
Short circuit strength	non-short-circuit proof	
Test voltage	2500 Vac, 50 Hz	
Order numbers		
<b>Order Number</b>	<b>VT 50-EN</b>	

Type		VT 50-EN
Mechanical data	Terminal and mounting	
	Fixing method	Base plate
	Terminals	Screw-type terminal, PE 6.3 x 0.8
	Measures and weights	
	Weight	4.20 kg





**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
Autotransformer PRI 110/125/230/240 Vac, SEC 150 - 3000 VA, 110/125/230/240 Vac	VT50EN	VT 50-EN	<a href="#">Buy on EAN</a>