





At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE

MECHANICAL TOOLS *Crimpstar®* RANGE

HP 1




- treated steel crimp jaws with high mechanical properties.
- factory-set ratchet for crimping control (automatic handle opening upon completion of crimping operation).
- Emergency release lever which, if necessary, opens the crimp jaws before their complete closure.
- Ergonomically designed non-slip moulded plastic grips.





HP 3



- treated steel crimp jaws with high mechanical properties.
- factory-set ratchet for crimping control (automatic handle opening upon completion of crimping operation).
- Emergency release lever which, if necessary, opens the crimp jaws before their complete closure.
- Ergonomically designed non-slip moulded plastic grips.



Crimpstar® HP 3	Crimp style:	
Crimping range:	PVC, PC and PA6.6 insulated terminals and connectors for conductor sizes 0,25 to 6 sqmm	
Dimensions:		
Length (closed handles)	234,5 mm	
Width (closed handles)	73,0 mm	
Height	18,3 mm	
Weight:	498 g	
Package dimensions:	240 x 81 x 25 mm	







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
HP3 RATCHET TOOL	2590531	HP-3	Buy on EAN
HP1 RATCHET TOOL	2590500	HP-1	Buy on EAN