



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE

### 18.0 V CORDLESS HYDRAULIC CUTTING TOOL





# general features

**INDUSTRIAL APPLICATION** 

**INDUSTRIAL APPLICATION** 

New




		STORAGE		
Туре	Dimensions mm	Weight kg	Supplied with the tool	Purchase separately
VALP37	500x480x128	3,1	*	_

#### The tool is supplied as:

- Basic tool with battery and shoulder strap
- Spare battery
- Battery charger
- Plastic carrying case suitable for storing the tool and accessories

Next generation of 18.0 V cordless hydraulic cutting tool specifically designed to cut Copper, Aluminium and telecommunication cable having a max overall diameter of 50 mm. The blades are manufactured from high strength special Steel, heat treated to ensure a long service life. New Li-lon 18 V 4 Ah batteries offer a higher capacity than 14.4 V 3 Ah, while greater cutting speed and cutting force result from a revitalised hydraulic system with double speed



The head can rotate through 90 degrees, to enable the operator to work in the most comfortable position, and can easily be opened to allow cutting of running cables.

-15 to +50 ° C


general features



## 18.0 V CORDLESS HYDRAULIC CUTTING TOOL







STORAGE						
Туре	Dimensions mm	Weight kg	Supplied with the tool	Purchase separately		
VALP37	500x480x128	3,1	*	_		

### The tool is supplied as:

- Basic tool with battery and shoulder strap
- Spare batterv
- Battery charger
- Plastic carrying case suitable for storing the tool and accessories

Next generation of 18.0 V cordless hydraulic cutting tool specifically designed to cut Copper, Aluminium and telecommunication cable having a max overall diameter of 65 mm. The blades are manufactured from high strength special Steel, heat treated to ensure a long service life. New Li-lon 18 V 4 Ah batteries offer a higher capacity than 14.4 V 3 Ah, while greater cutting speed and cutting force result from a revitalised hydraulic system with double speed

action. The battery is equipped with LED indicators to show the remaining battery life at any time by pressing the adjacent button.

The head can rotate through 335 degrees, to enable the operator to work in the most comfortable position, and can easily be opened to allow cutting of running cables.

pressure valve.

B-TC650 is easily manageable during the cutting process and, by the use of bi-component plastics, has a shell with high resistance to wear and damage.

minimal vibration aid operator comfort while additional convenience and safety are provided by LED lighting of the working area. Operating temperature:

-15 to +50 ° C







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
B-TC500 BATTERY CUTTING TOOL	2598827	B-TC500	Buy on EAN