



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

### General Information

|                        |   |
|------------------------|---|
| Extended Product Type: | FC2                                     |
| Product ID:            | 1SNA007865R2600                         |
| EAN:                   | 3472590078658                           |
| Catalog Description:   | FC2 Test Plugs DIA 2 mm .079 in - Black |

### Categories

Products » Low Voltage Products and Systems » Connection Devices » Terminal Blocks Accessories » Test Plugs

### Ordering

|                         |               |
|-------------------------|---------------|
| EAN:                    | 3472590078658 |
| Minimum Order Quantity: | 100 piece     |
| Customs Tariff Number:  | 85369010      |

### Dimensions

|                     |         |
|---------------------|---------|
| Product Net Width:  | 6.5 mm  |
| Product Net Height: | 6.5 mm  |
| Product Net Depth:  | 16.5 mm |
| Product Net Weight: | 2 g     |

### Container Information

|                               |               |
|-------------------------------|---------------|
| Package Level 1 Units:        | 100 piece     |
| Package Level 1 Gross Weight: | 0.2 kg        |
| Package Level 1 EAN:          | 3472590078658 |
| Package Level 2 Units:        | 3500 piece    |

### Environmental

|                          |                           |
|--------------------------|---------------------------|
| Ambient Air Temperature: | Operation -55 ... +110 °C |
|--------------------------|---------------------------|

### Additional Information

|                                  |  |
|----------------------------------|--|
| Color:                           | Black  |
| Degree of Protection:            | acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20   |
| Function:                        | Test Plugs   |
| IIT Publishing Status:           | Level 0 - Information enabled  |
| Insulation Material:             | Zinc plating and passivation steel   |
| Mounting Type:                   | Soldered connection: 1 mm <sup>2</sup> 18 AWG  |
| Product Main Type:               | FC2  |
| Product Name:                    | Test Device  |
| Rated Current (I <sub>n</sub> ): | Main Circuit 10 A  |
| Spacing:                         | 2 mm   |
| Suitable For:                    | 50PLTVV<br>61NLTVV<br>AL<br>D1.5/5.ADO.NF<br>D1.5/6.ADO<br>D1.5/6.ADO.NF<br>D1.5/6.D2.ADO<br>D1.5/6.D2.ADO.NF<br>D1.5/6.SNT2.ADO<br>D1/5.ADO<br>D1/5.D2.ADO<br>D1/5.SF.ADO<br>D1/5.SNT2.ADO<br>D16/12.P.2L<br>D16/12.PEN.2L<br>D2.5/5.ADO<br>D2.5/5.D2.ADO<br>D2.5/5.SFA.ADO<br>D2.5/5.SN.ADO<br>D2.5/8.ADO<br>D2.5/8.ADO.NF<br>D2.5/8.SNT2.ADO<br>D35/16.P.2L<br>D35/16.PEN.2L<br>D4/6.A.LL<br>D4/6.A.NLP |

D4/6.A.NTLP  
D4/6.ADO  
D4/6.D2.ADO  
D4/6.L  
D4/6.LL  
D4/6.LLP  
D4/6.LNTP  
D4/6.NL  
D4/6.NLP  
D4/6.NTLP  
D4/6.SN.ADO  
D4/6.SNT2.ADO  
D4/6.T  
D4/6.T3.P  
D4/8.ADO  
D4/8.ADO.NF  
D4/8.D2.P.SF  
D4/8.SF.I.ADO  
D4/8.SN.ADO  
D4/8.SN.I.ADO  
D6/8.ADO  
D6/8.ADO.RS  
D6/8.D2.ADO  
DB2.5/5.ADO  
DB4/6.ADO  
DB4/8.A.ADO3  
DB4/8.ADO  
DC  
DH2.5/5.ADO  
DH4/6.ADO  
DH4/8.A.ADO  
DH4/8.ADO  
DR1.5/4  
DR1.5/5  
DR2.5/5.ADO  
DR2.5/5.S  
DR4/6  
DR4/6.1  
DR4/6.ADO  
DR4/6.G  
DR4/8.A.ADO3  
DR4/8.ADO  
DRE2.5/5.ADO  
DRE4/6.ADO  
DRE4/8.A.ADO3  
DRE4/8.ADO  
DS2.5/5.ADO  
DS4/6.ADO  
DS4/8.A.ADO3  
DS4/8.ADO  
DSE2.5/5.ADO  
DSE4/6.ADO  
DSE4/8.A.ADO3  
DSE4/8.ADO  
E4/6  
HD2.5/6  
HD6/8  
HD6/9  
M10/10  
M16/12  
M2.5/6.2G.2G  
M2.5/6.4G.1  
M2.5/6.5.4G.1  
M35/16  
M4/6  
M4/6.2G  
M4/6.3A  
M4/6.3G  
M4/6.4A  
M4/6.5.3G  
M4/6.D1  
M4/6.D2  
M4/6.D2.2S2  
M4/6.D2.NC  
M4/6.D2.S1R  
M4/6.D2.SB  
M4/6.D2.SNBT  
M4/6.D2.SNBT.NC  
M4/6.DD  
M4/6.DE  
M4/6.DL

M4/6.DN  
M4/6.G  
M4/6.NT  
M4/6.RS  
M4/6.SBT.4A  
M4/6.SNB  
M4/6.SNBT  
M4/6.SNBT.4A  
M4/6.SNTS  
M4/7.D  
M4/7.R  
M4/8  
M4/8.D2.SF  
M4/8.SF  
M4/8.SN  
M6/8  
M6/8.2A.G  
M6/8.D  
M6/8.D2.NC  
M6/8.NT  
M6/8.SNB  
MA2.5/5  
MA2.5/5.D1  
MA2.5/5.D2  
MA2.5/5.NT  
MA2.5/5.SNBT  
MA2.5/5-2CPE  
MA2.5/5-CPE  
MA2.5/5D-2CPE  
MA2.5/5-SFA-CPE  
MA2.5/5-SNB-CPE  
ML10/13.SF  
ML10/13.SN  
MS4/6  
MS6/8  
MU10/13.SF  
MU10/13.SN  
MU10/14.5.SF  
MU10/14.5.SN

---

### Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SND225001C1009

---

### Classifications

|                             |                                     |
|-----------------------------|-------------------------------------|
| E-nummer:                   | 2925658                             |
| ETIM 4:                     | EC002255 - Test plug terminal block |
| ETIM 5:                     | EC002255 - Test plug terminal block |
| Object Classification Code: | X                                   |

---



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| <b>Product</b>                          | <b>Code</b>     | <b>Reference</b> | <b>Product link</b>        |
|---|-----------------|------------------|----------------------------|
| FC2 Test Plugs DIA 2 mm .079 in - Black | 1SNA007865R2600 | FC2              | <a href="#">Buy on EAN</a> |