



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

### General Information

Extended Product Type:	FA500/QUANTUM/OMN20/663
Product ID:	1SNA038025R1500
EAN:	3472590380256
Catalog Description:	FA500/QUANTUM/OMN20/663 - Cable
Long Description:	FA 1 Omnicconnect 20 poles / 140 XTS 00200

### Categories

Products » Low Voltage Products and Systems » Connection Devices » PLC Wiring Systems Accessories » Cables for PLC Wiring Systems

### Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85444290

### Dimensions

Product Net Height:	19 mm
Product Net Depth:	70 mm
Product Net Weight:	1.150 kg
Product Net Width:	112 mm

### Technical UL/CSA

Connecting Capacity UL/CSA:	Stranded 24 AWG
-----------------------------	-----------------

### Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	1SND255001C1001
---------------------------------	-----------------

### Classifications

ETIM 4:	EC000237 - PLC connection cable
ETIM 5:	EC000237 - PLC connection cable
Object Classification Code:	W

### Container Information

Package Level 1 Width:	265 mm
Package Level 1 Length:	320 mm
Package Level 1 Height:	95 mm
Package Level 1 Gross Weight:	1.15 kg
Package Level 1 EAN:	3472590380256
Package Level 2 Units:	1 piece
Product Packing Type:	Box
Package Level 1 Units:	1 piece

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
FA500/QUANTUM/OMN20/663 - Cable	1SNA038025R1500	FA500/QUANTUM/2X	<a href="#">Buy on EAN</a>