



## Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## M4/6.2G.1



Extended Product Type:	M4/6.2G.1				
Product ID:	1SNA115266R2500				
EAN:	3472591152661				
Catalog Description:					
Long Description:	M4/6.2G Specific Terminal Blocks Feed-through Grey M4/6.2G Specific Terminal Blocks Feed-through				
Long Description.					
Categories					
	nd Systems » Connection Devices » Terminal Blocks » Solution Series				
FIODUCIS // LOW VOILage FIODUCIS ai	iu Systems // Connection Devices // Terminal Blocks // Solution Series				
Ordering					
Minimum Order Quantity:	50 piece				
Customs Tariff Number:	85369010				
Color:	Grey				
	Gley				
Dimensions					
	44.5 mm				
Product Net Height:					
Product Net Depth:	40.5 mm				
Product Net Weight:	8 g 6 mm				
Product Net Width:	6 mm				
Technical					
	0				
Spacing:	6 mm				
Connection Type:	Quick-connect - Screw clamp				
Function:	Feed-through				
Number of Levels:	1				
Rated Voltage (U <sub>r</sub> ):	630 V				
Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	6000 V				
Insulation Material:	Polyamide				
Mounting on DIN Rail:	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715				
Wire Stripping Length:	9.5 mm				
Recommended Screw Driver:	4 mm				
Tightening Torque:	acc. IEC 60947-1 0.4 N·m				
	Manufacturer 0.6 N·m				
Rated Cross-Section:	4 mm <sup>2</sup>				
Technical UL/CSA					
Flammability According to UL94:	V2				
Maximum Operating Voltage UL/CSA:	Main Circuit 600 V				
Environmental					
RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q				
Ambient Air Temperature:	Operation -55 +110 °C				
	Storage -55 +110 °C				
Certificates and Declarations (D	ocument Number)				
Declaration of Conformity - CE:	1SND225003C1007				
EAC Certificate:	1SND161009A1100				
RoHS Information:	1SND230021F0201				
Classifications					
	EC000897 - Feed-through terminal block				
Classifications	EC000897 - Feed-through terminal block EC000897 - Feed-through terminal block				
Classifications ETIM 4: ETIM 5:	EC000897 - Feed-through terminal block EC000897 - Feed-through terminal block X				
Classifications ETIM 4:	EC000897 - Feed-through terminal block				
Classifications ETIM 4: ETIM 5:	EC000897 - Feed-through terminal block				
Classifications ETIM 4: ETIM 5: Object Classification Code:	EC000897 - Feed-through terminal block				

Package Level 1 Height:	47 mm
Package Level 1 Gross Weight:	0.4 kg
Package Level 1 EAN:	3472591152661
Package Level 2 Units:	1000 piece
Package Level 3 Units:	48000 piece
Product Packing Type:	Box
Package Level 1 Units:	50 piece







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
M4/6.2G Specific Terminal Blocks Feed-through Grey	1SNA115266R2500	M4/6.2G.1	Buy on EAN