



## Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## D2.5/5.P



## **General Information** D2.5/5.P Extended Product Type: Product ID: 1SNA165909R0500 EAN: 3472591659092 **Catalog Description:** D2.5/5.P Screw Clamp Terminal Blocks - Ground - Green/Yellow Long Description: D2.5/5.P Screw Clamp Terminal Blocks - Ground - Green-Yellow, 2.5mm<sup>2</sup> RatedCrossSection, 5mm Spacing TH 35-7.5, TH 35-15 Rail Categories Products » Low Voltage Products and Systems » Connection Devices » Terminal Blocks » SNA Series Ordering Minimum Order Quantity: 50 piece **Customs Tariff Number:** 85369010 Color: Green-Yellow Dimensions **Product Net Height:** 50.7 mm Product Net Depth: 40.5 mm **Product Net Weight:** 10 q **Product Net Width:** 5 mm Technical Spacing: 5 mm Connection Type: Screw clamp Function: Ground Number of Levels: 1 **Connecting Capacity-Main Circuit:** Screw Clamp / Flexible 1x 0.22 ... 2.5 mm<sup>2</sup> Screw Clamp / Rigid 1x 0.2 ... 4 mm<sup>2</sup> Gauge Type: A3 Rated Short-time Withstand Current for 1 s 300 A (I<sub>cw</sub>): **Dielectric Test Voltage:** 3500 V 3 **Pollution Degree:** Insulation Material: Polyamide TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Wire Stripping Length: 10.0 mm $35\,\mathrm{mm}$ **Recommended Screw Driver:** acc. IEC 60947-1 0.4 N·m **Tightening Torque:** Manufacturer 0.6 N·m Rated Cross-Section: 2.5 mm<sup>2</sup> **Technical UL/CSA Connecting Capacity Main Circuit** Screw Clamp / Rigid 1x 24 ... 12 AWG UL/CSA: Connecting Capacity UL/CSA: Stranded 12 AWG Flammability According to UL94: V0 Environmental **RoHS Status:** Following EU Directive 2002/95/EC August 18, 2005 and amendment Ambient Air Temperature: Operation -55 ... +110 °C Storage -55 ... +110 °C Certificates and Declarations (Document Number) **Declaration of Conformity - CE:** 1SND225004C1008 EAC Certificate: 1SND161009A1100 **RoHS Information:** 1SND230023F0208 Classifications E-nummer: 2925531 ETIM 4: EC000901 - Ground terminal block

ETIM 5:	EC000901 - Ground terminal block		
Object Classification Code:	X		

Container Information	
Package Level 1 Width:	120 mm
Package Level 1 Length:	130 mm
Package Level 1 Height:	57 mm
Package Level 1 Gross Weight:	0.5 kg
Package Level 1 EAN:	3472591659092
Package Level 2 Units:	1500 piece
Package Level 2 Width:	300 mm
Package Level 2 Length:	500 mm
Package Level 2 Height:	300 mm
Package Level 2 Gross Weight:	15.500 kg
Package Level 3 Units:	36000 piece
Product Packing Type:	Box
Package Level 1 Units:	50 piece







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
D2.5/5.P Screw Clamp Terminal Blocks - Ground - Green/Yellow	1SNA165909R0500	D2.5/5.P	Buy on EAN