



## Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## BJDL1.10-5



Extended Product Type:	BJDL1.10-5		
Product ID:	1SNA291478R0300		
EAN:	3472592914787		
Catalog Description:	BJDL1.10.5 Jumper Bars		
Long Description:	BJDL1.10-5 - Jumper Bars - 5 poles - Orange - 10mm Spacing		
Categories Products » Low Voltage Products an	d Systems » Connection Devices » Terminal Blocks Accessories » Jumper Bars		
Ordering			
EAN:	3472592914787		
Minimum Order Quantity:			
Customs Tariff Number:	50 piece 85369010		
	60009010		
Dimensions			
Product Net Weight:	6.1 g		
Container Information			
Package Level 1 Units:	50 piece		
Package Level 1 Width:	168 mm		
Package Level 1 Length:	250 mm		
Package Level 1 Gross Weight:	0.305 kg		
Package Level 1 EAN:	3472592914787		
Package Level 2 Units:	6000 piece		
Product Packing Type:	Bag		
	Dau		
Environmental RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment		
Environmental RoHS Status: Additional Information Color:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange		
Environmental RoHS Status: Additional Information Color: Degree of Protection:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles:	Following EU Directive 2002/95/EC August 18, 2005 and amendment         Orange         acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20         Jumper Bars         Level 0 - Information enabled         G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715         TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715         TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 5		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 5 BJDL		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name: Rated Current (I <sub>n</sub> ):	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 5 BJDL Jumper Bar		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name: Rated Current (In): RoHS Date:	Following EU Directive 2002/95/EC August 18, 2005 and amendment         Orange         acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20         Jumper Bars         Level 0 - Information enabled         G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715         TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715         TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715         5         BJDL         Jumper Bar         Main Circuit 57 A		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 5 BJDL Jumper Bar Main Circuit 57 A 18 08 2005		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Main Type: Product Name: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing: Sub-Function 2:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 5 BJDL Jumper Bar Main Circuit 57 A 18 08 2005 10 mm		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing: Sub-Function 2: Suitable For:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 5 BJDL Jumper Bar Main Circuit 57 A 18 08 2005 10 mm Screwless D10/10.1.2L D10/10.2L D10/10.3L D10/10.NT.L		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing: Sub-Function 2: Suitable For: Certificates and Declarations (December 2) Contemportation (Interpretation (I	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 5 BJDL Jumper Bar Main Circuit 57 A 18 08 2005 10 mm Screwless D10/10.1.2L D10/10.2L D10/10.3L D10/10.NT.L		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Mame: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing: Sub-Function 2: Suitable For: Certificates and Declarations (Dor Data Sheet, Technical Information:	Following EU Directive 2002/95/EC August 18, 2005 and amendment         Orange         acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20         Jumper Bars         Level 0 - Information enabled         G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715         TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715         TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715         5         BJDL         Jumper Bar         Main Circuit 57 A         18 08 2005         10 mm         Screwless         D10/10.1.2L         D10/10.2L         D10/10.3L         D10/10.3L         D10/10.3L         D10/10.3L         SNC160001C0207-CH-J Accessories		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing: Sub-Function 2: Suitable For: Certificates and Declarations (December 2) Contemportation (Interpretation (I	Following EU Directive 2002/95/EC August 18, 2005 and amendment Orange acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 Jumper Bars Level 0 - Information enabled G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 5 BJDL Jumper Bar Main Circuit 57 A 18 08 2005 10 mm Screwless D10/10.1.2L D10/10.2L D10/10.3L D10/10.NT.L		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Mame: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing: Sub-Function 2: Suitable For: Certificates and Declarations (Dor Data Sheet, Technical Information:	Following EU Directive 2002/95/EC August 18, 2005 and amendment         Orange         acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20         Jumper Bars         Level 0 - Information enabled         G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715         TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715         TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715         5         BJDL         Jumper Bar         Main Circuit 57 A         18 08 2005         10 mm         Screwless         D10/10.1.2L         D10/10.2L         D10/10.3L         D10/10.3L         D10/10.3L         D10/10.3L         SNC160001C0207-CH-J Accessories		
Environmental RoHS Status: Additional Information Color: Degree of Protection: Function: IIT Publishing Status: Mounting on DIN Rail: Number of Poles: Product Main Type: Product Name: Rated Current (I <sub>n</sub> ): RoHS Date: Spacing: Sub-Function 2: Suitable For: Certificates and Declarations (De Data Sheet, Technical Information: RoHS Information:	Following EU Directive 2002/95/EC August 18, 2005 and amendment         Orange         acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20         Jumper Bars         Level 0 - Information enabled         G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715         TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715         TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715         5         BJDL         Jumper Bar         Main Circuit 57 A         18 08 2005         10 mm         Screwless         D10/10.1.2L         D10/10.2L         D10/10.3L         D10/10.3L         D10/10.3L         D10/10.3L         SNC160001C0207-CH-J Accessories		







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
BJDL1.10.5 Jumper Bars	1SNA291478R0300	BJDL1 10 5	Buy on EAN