



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	D4/8.N.ADO
Product ID:	1SNA399318R1600
EAN:	3472593993187
Catalog Description:	D4/8.N.ADO IDC Terminal Blocks - Feed-through ADO - ADO - Blue
Long Description:	D4/8.N.ADO IDC Terminal Blocks - Feed-through - Blue,4mm ² RatedCrossSection, 8mm Spacing TH 35-7.5, TH 35-15 Rail

Categories

Products » Low Voltage Products and Systems » Connection Devices » Terminal Blocks » Solution Series

Ordering

EAN:	3472593993187
Minimum Order Quantity:	50 piece
Customs Tariff Number:	85369010

Dimensions

Product Net Width:	8 mm
Product Net Height:	50 mm
Product Net Depth:	41 mm
Product Net Weight:	9 g

Container Information

Package Level 1 Units:	50 piece
Package Level 1 Width:	81 mm
Package Level 1 Height:	47 mm
Package Level 1 Length:	220 mm
Package Level 1 Gross Weight:	0.45 kg
Package Level 1 EAN:	3472593993187
Package Level 2 Units:	750 piece
Package Level 2 Width:	300 mm
Package Level 2 Height:	150 mm
Package Level 2 Length:	500 mm
Package Level 2 Gross Weight:	7.1 kg
Package Level 3 Units:	36000 piece
Product Packing Type:	Box

Environmental

Ambient Air Temperature:	Operation -55 ... +110 °C Storage -55 ... +110 °C
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technical UL/CSA

Connecting Capacity UL/CSA:	Stranded 12 AWG
Flammability According to UL94:	V0

Additional Information

Ambient Temperature:	-5 ... +40 °C
Color:	Blue
Connection Type:	ADO System
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Dielectric Test Voltage:	3500 V
Function:	Feed-through
IIT Publishing Status:	Level 0 - Information enabled
Insulation Material:	Polyamide
Mounting on DIN Rail:	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Number of Levels:	1
Pollution Degree:	3
Product Main Type:	D4/8.ADO
Product Name:	Terminal block
Rated Cross-Section:	4 mm ²

Rated Current (I_n): Main Circuit 32 A

Rated Impulse Withstand Voltage (U_{imp}): 8000 V

Rated Short-time Withstand Current (I_{cw}): for 1 s 480 A

Rated Voltage (U_r): 1000 V

RoHS Date: Z

Spacing: 8 mm

Sub-Function: 2 connections

Sub-Function 3: 2 connections

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SNC160020C0201

Declaration of Conformity - CE: 1SND225010C1007

EAC Certificate: 1SND162001A1100

RoHS Information: 1SND230472F0201

Classifications

ETIM 4: EC000897 - Feed-through terminal block

ETIM 5: EC000897 - Feed-through terminal block

Object Classification Code: X



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
D4/8.N.ADO IDC Terminal Blocks - Feed-through ADO - ADO - Blue	1SNA399318R1600	D4/8.N.ADO	Buy on EAN