




Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

MC512PA 1->10 (x10) Horizontal



Extended Product Type:	MC512PA 1->10 (x10) Horizontal			
Product ID:	1SNK140011R0000			
EAN:	3472599999732 MC512PA Terminal Block Markers pre-printed : 1->10 (x10) Horizontal MC512PA Terminal Block Markers pre-printed : 1->10 (x10) Horizontal			
Catalog Description:				
Long Description:				
Categories				
_	nd Systems » Connection Devices » Markers and Marking Systems » Terminal Block			
Markers				
Ordering				
Minimum Order Quantity:	1 piece			
Customs Tariff Number:	39269097			
Color:	White			
Dimensions				
Product Net Height:	12 mm			
Product Net Length:	5 mm			
Product Net Depth:	4.8 mm			
Product Net Weight:	10 g			
Product Net Width:	5.2 mm			
Technical				
Spacing:	5.2 mm			
Function:	Pre-printed marker card			
Insulation Material:	Polyamide			
Technical UL/CSA				
	V2			
Flammability According to UL94:	V2			
Flammability According to UL94: Environmental				
Flammability According to UL94: Environmental RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment			
Flammability According to UL94: Environmental RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C			
Flammability According to UL94: Environmental RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number)			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block			
Ambient Air Temperature: <u>Certificates and Declarations (E</u> Declaration of Conformity - CE: RoHS Information: <u>Classifications</u> E-nummer: ETIM 4: ETIM 5:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight: Package Level 1 EAN:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.01 kg 3472599999732			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight: Package Level 1 EAN: Package Level 2 Units:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.01 kg 3472599999732 600 piece			
Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight:	Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967402 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.01 kg 3472599999732			







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
MC512PA Terminal Block Markers pre- printed : 1->10 (x10) Horizontal	1SNK140011R0000	MC512PA (H/ serie)	Buy on EAN