




Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

MC512PA 21->30 (x10) Horizontal



General Information Extended Product Type:	MC512PA 21-230 (x10) Horizontal			
	MC512PA 21->30 (x10) Horizontal			
Product ID:	1SNK140031R0000 3472599999718 MC512PA Terminal Block Markers pre-printed : 21->30 (x10) Horizontal			
EAN:				
Catalog Description:				
Long Description:	MC512PA Terminal Block Markers pre-printed : 21->30 (x10) Horizontal			
Categories				
	d Systems » Connection Devices » Markers and Marking Systems » Terminal Block			
Markers				
Ordering				
EAN:	3472599999718			
Minimum Order Quantity:	1 piece			
Customs Tariff Number:	39269097			
	33209031			
Dimensions				
Product Net Width:	5.2 mm			
Product Net Height:	12 mm			
Product Net Length:	5 mm			
Product Net Depth:	4.8 mm			
Product Net Weight:	10 g			
· ······				
Container Information				
Package Level 1 Units:	1 piece			
Package Level 1 Width:	120 mm			
Package Level 1 Length:	200 mm			
Package Level 1 Gross Weight:	0.01 kg			
	3472599999718			
Package Level 1 EAN:	3472599999718			
Package Level 1 EAN:				
Package Level 1 EAN: Package Level 2 Units:	600 piece			
Package Level 1 EAN:				
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units:	600 piece 14400 piece			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units:	600 piece 14400 piece Operation -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental	600 piece 14400 piece			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name:	600 piece 14400 piece Qperation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Type:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declaration)	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm Document Number)			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations)	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker Marker card 18 08 2005 5.2 mm bcument Number) 1SNK160004D0201			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Mame: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Doc Data Sheet, Technical Information: Declaration of Conformity - CE:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker Marker card 18 08 2005 5.2 mm Soument Number) 1SNK160004D0201 1SNK160004D0201 1SNL25156C1000			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Doc Data Sheet, Technical Information:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker Marker card 18 08 2005 5.2 mm bcument Number) 1SNK160004D0201			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Main Type: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declaration of Conformity - CE: RoHS Information:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker Marker card 18 08 2005 5.2 mm Soument Number) 1SNK160004D0201 1SNK160004D0201 1SNL25156C1000			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Main Type: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declaration of Conformity - CE: RoHS Information:	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker Marker card 18 08 2005 5.2 mm Soument Number) 1SNK160004D0201 1SNK160004D0201 1SNL25156C1000			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Maine: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Doc Data Sheet, Technical Information: Declaration of Conformity - CE: RoHS Information: Classifications	600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm Scument Number) 1SNK160004D0201 1SND225156C1000 1SND230504F0204			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Mame: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations) Declaration of Conformity - CE: RoHS Information: Declassifications E-nummer:	600 piece 14400 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm Decument Number) 1SNK160004D0201 1SND225156C1000 1SND230504F0204 2967406			







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
MC512PA Terminal Block Markers pre- printed : 21->30 (x10) Horizontal	1SNK140031R0000	MC512PA (H/ serie)	Buy on EAN