



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

MC512PA 41->50 (x10) Vertical



Extended Product Type:	MC512PA 41->50 (x10) Vertical			
Product ID:	1SNK140052R0000			
EAN:	3472591400526			
Catalog Description:	MC512PA Terminal Block Markers pre-printed : 41->50 (x10) Vertical			
Long Description:	MC512PA Terminal Block Markers pre-printed : 41->50 (x10) Vertical			
Categories				
Products » Low Voltage Products a Markers	and Systems » Connection Devices » Markers and Marking Systems » Terminal Bloc			
Ordering				
EAN:	3472591400526			
Minimum Order Quantity:	1 piece			
Customs Tariff Number:	39269097			
Dimensions				
Product Net Width:	5.2 mm			
Product Net Height:	12 mm			
Product Net Length:	5 mm			
Product Net Depth:	4.8 mm			
Product Net Weight:	10 g			
ouder not froight.	·· · · · · · · · · · · · · · · · · · ·			
Container Information				
Package Level 1 Units:	1 piece			
Package Level 1 Width:	120 mm			
Package Level 1 Length:	200 mm			
Package Level 1 Gross Weight:	0.01 kg			
	0.01 kg 3472591400526			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units:	•			
Package Level 1 Gross Weight: Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature:	3472591400526 600 piece 14400 piece Operation -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status:	3472591400526 600 piece 14400 piece Operation -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 V4 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 V4 V4 V2 V4 V2 V4 V4 V5 V2 V4 V4 V4 V2 V4 V4 V5 V4 V4 V5 V4 V5 V4 V4 V5 V4 V4 V5 V5 V5 V5 V5 V5 V5 V5 V5 V5			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Type: RoHS Date: Spacing:	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (I	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm Document Number)			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (I Data Sheet, Technical Information	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm Document Number) x: 1SNK160005D0201			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (I	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm Document Number)			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Type: RoHS Date: Spacing: Certificates and Declarations (I Data Sheet, Technical Information Declaration of Conformity - CE: RoHS Information:	3472591400526 600 piece 14400 piece Qperation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker Marker card 18 08 2005 5.2 mm Document Number) x: 1SNK160005D0201 1SND225156C1000			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (I Data Sheet, Technical Information Declaration of Conformity - CE: RoHS Information: Classifications	3472591400526 600 piece 14400 piece Operation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide Mc512 Marker Marker card 18 08 2005 5.2 mm Document Number) x: 1SND2230504F0204			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (I Data Sheet, Technical Information Declaration of Conformity - CE: RoHS Information: Classifications E-nummer:	3472591400526 600 piece 14400 piece Qperation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide McS12 Marker Marker card 18 08 2005 5.2 mm Document Number) 1: 1SNK160005D0201 1SND225156C1000 1SND230504F0204			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (I Data Sheet, Technical Information Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4:	3472501400526 600 piece 14400 piece Qperation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC512 Marker Marker card 18 08 2005 5.2 mm Document Number) :: 1SNK160005D0201 1SND225156C1000 1SND230504F0204			
Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units: Environmental Ambient Air Temperature: RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (I Data Sheet, Technical Information Declaration of Conformity - CE: RoHS Information: Classifications E-nummer:	3472591400526 600 piece 14400 piece Qperation -55 +110 °C Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 V2 White Pre-printed marker card Level 0 - Information enabled Polyamide McS12 Marker Marker card 18 08 2005 5.2 mm Document Number) 1: 1SNK160005D0201 1SND225156C1000 1SND230504F0204			







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
MC512PA Terminal Block Markers pre- printed : 41->50 (x10) Vertical	1SNK140052R0000	MC512PA (V/ serie)	Buy on EAN