



## Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## MC612PA 171->180 (x10) Vertical



Extended Product Type:	MC612PA 171->180 (x10) Vertical			
Product ID:	1SNK150182R0000			
EAN:	3472591501827 MC612PA Terminal Block Markers pre-printed : 171->180 (x10) Vertical			
Catalog Description:				
Long Description:	C612PA Terminal Block Markers pre-printed : 171->180 (x10) Vertical White			
Categories				
Products » Low Voltage Products an Markers	d Systems » Connection Devices » Markers and Marking Systems » Terminal Bloc			
Ordering				
EAN:	3472591501827			
Minimum Order Quantity:	1 piece			
Customs Tariff Number:	39269097			
Dimensions				
Product Net Width:	6 mm			
Product Net Height:	12 mm			
Product Net Length:	5.6 mm			
Product Net Depth:	5.6 mm			
Product Net Weight:	11 g			
Container Information				
	1 niece			
Package Level 1 Units:	1 piece			
Package Level 1 Width:	120 mm			
Package Level 1 Length:	200 mm			
Package Level 1 Gross Weight:	0.011 kg			
Package Level 1 EAN:	3472591501827			
Package Level 2 Units:	600 piece			
Package Level 3 Units:	14400 piece			
Environmental				
	Operation -55 +110 °C			
Ambient Air Temperature:				
-	Storage -55 +110 °C			
Ambient Air Temperature: RoHS Status:				
-	Storage -55 +110 °C			
RoHS Status: Technical UL/CSA	Storage -55 +110 °C			
RoHS Status: Fechnical UL/CSA Flammability According to UL94:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information	Storage -55 +110 °C   Following EU Directive 2002/95/EC August 18, 2005 and amendment   V2			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide			
RoHS Status: Fechnical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612			
RoHS Status: <u>Technical UL/CSA</u> Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm			
RoHS Status: Fechnical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations)	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm Document Number)			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Do Data Sheet, Technical Information:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm Document Number) 1SNK160008D0201			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations)	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm Document Number)			
RoHS Status: Fechnical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations) Data Sheet, Technical Information: Declaration of Conformity - CE:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm <b>ocument Number)</b> 1SNK160008D0201 1SND225156C1000			
RoHS Status: Fechnical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations (Declaration of Conformity - CE: RoHS Information: Declassifications	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm Dcument Number) 1SNK160008D0201 1SNK160008D0201 1SNK160008D0204			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations (Declarations)) Declaration of Conformity - CE: RoHS Information: Declassifications E-nummer:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm Document Number) 1SNK160008D0201 1SND225156C1000 1SND230504F0204			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations (Declarations (Declarations)) Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm Decument Number) 1SNK160008D0201 1SND225156C1000 1SND225156C1000 1SND230504F0204			
RoHS Status: Technical UL/CSA Flammability According to UL94: Additional Information Color: Function: IIT Publishing Status: Insulation Material: Product Main Type: Product Main Type: Product Name: Product Type: RoHS Date: Spacing: Certificates and Declarations (Declarations (Declarations (Declarations)) Declaration of Conformity - CE: RoHS Information: Declassifications E-nummer:	Storage -55 +110 °C Following EU Directive 2002/95/EC August 18, 2005 and amendment V2 White Pre-printed marker card Level 0 - Information enabled Polyamide MC612 Marker Marker card 18 08 2005 6 mm Document Number) 1SNK160008D0201 1SND225156C1000 1SND230504F0204			







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
MC612PA Terminal Block Markers pre- printed : 171->180 (x10) Vertical	1SNK150182R0000	MC612PA (V/ serie)	Buy on EAN