



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE

# **LUXOMAT® IR-SMARTHOME**



### **■ TECHNICAL DATA**

**②** 

Lithium CR2032 -3 Volt (inclusive) depending on lighting conditions

clouded or dark: 5 to 6 m;

sunshine: 2 to 3 m

L80 x W 60 x H 8 mm

## (i) PRODUCT INFORMATION

- Using the LUXOMAT® IR-SMARTHOME infrared remote control, all settings can be made comfortably from the ground without having the annoyance of setting up ladders. It is suitable for the motion detectors: LUXOMAT® RC-plus next 230 ZW and PD3N-ZW
- The great variety of programs facilitates adapting the motion detector to all individual wishes at any time – even subsequently.
- Additional features like automatically reading-in the current daylight value or the useful 2 sec.-test function are also optionally available with the IR-SMARTHOME.
- The lights can be switched on or off anytime with just a touch of the button. That means it is not necessary to install an additional light switch.
- Comes complete with a practical wall bracket (dimensions (approx.):
   63 x 29 x 19 mm).

# 8 60

## PROGRAM FUNCTIONS



<b>a</b>	Programmable <b>Opening and</b> closing – also with parental lock and security against sabotage after setting up	+ s -	Electronic sensitivity control - Increase and decrease of the detector range
TEST	Test operation  - The surveyed room can be paced out independent of surrounding brightness and can be aligned easily after that.		Party program - Constant light for 12 hours or light off
•	Automatic reading and saving of the actual light level	RESET	Reset - Resetting of all functions
lox)	Preselected light values - 10 to 1000 Lux; Recommendation: rooms with daylight 300 Lux, without daylight 1000 Lux	<b>©</b>	Light OFF - Change between the modes of operation full- and semiautomatic; switch on and off of the motion detector
*	Sun button – preselected light value - Daylight operation	•	Permanent tamper protection - Permanent inhibition of the detector; only ON- and OFF function on the remote control possible.
15 sec	Preselected switch on times for the lighting (Relay and Channel 1):  15 sec. to 30 min.		
(LED)	LED-Button - Activate and deactivate the walking test LED		

DescriptionColourPart numberLUXOMAT® IR-SMARTHOMEgrey90162





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
IR-Smarthome Remote Control for Wireless Detectors	90162		Buy on EAN