




**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

## System device installation, Modul 45®, concealed




### Cover frame, 1.5x, for 1.5-module devices

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
ADR-UPM1.5 RW	Pure white	1	1.700	6119 96 8
ADR-UPM1.5 SWGR	Black-grey	1	1.700	6119 96 9
ADR-UPM1.5 AL	Aluminium painted	1	1.700	6119 97 0

/pc.

Cover frame for Modul 45 accessories with 1.5 module width = 67.5 mm, for locking on a support plate TG-UPM1.




### Concealed accessory socket, double

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
UG-UPM2	Natural	1	4.550	6119 94 1

/pc.

Concealed accessory socket, rectangular, to accept support plates, type TG-UPM2, for Modul 45 devices of up to 2x module width = 90 mm, with breakable openings for cables and pipes. Note: Always plaster the concealed accessory socket together with the appropriate plaster cover.




### Signal cover, double

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
PD-UPM2	Red	1	0.100	6119 94 6

/pc.

The signal cover for the concealed accessory socket UG-UGM2 protects the interior, the bolt domes and bolt heads on plastering. The marking bristles allow simple location of the sockets after plastering. The signal covers can be used several times. After plastering, simply push the cover into the socket and remove the signal cover.





### Cavity wall accessory socket, double

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
HG-UPM2	Blue	1	4.600	6119 95 1

/pc.

Cavity wall accessory socket, oval, to accept support plates, type TG-UPM2, for Modul 45 devices of up to 2x module width = 90 mm, drill hole diameter 68 mm, hole spacing 68 mm.




### Support plate, double

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
TG-UPM2	Transparent	1	2.550	6119 95 6

/pc.

Support plate to accept Modul 45 devices of up to 2x module width = 90 mm, for mounting on the concealed accessory socket UG-UPM2 and cavity wall accessory socket HG-UPM2.



### Cover frame, double

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
ADR-UPM2 RW	Pure white	1	1.880	6119 97 2
ADR-UPM2 SWGR	Black-grey	1	1.880	6119 97 3
ADR-UPM2 AL	Aluminium painted	1	1.880	6119 97 4

/pc.

Cover frame for Modul 45 accessories with 2x module width = 90 mm, for locking on a support plate TG-UPM2.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Concealed socket access.socket Modul 45 double, 129x77, Natural,	6119941	UG-UPM2	<a href="#">Buy on EAN</a>
Cavity wall accessory socket Modul 45 double, 129x77, Blue,	6119951	HG-UPM2	<a href="#">Buy on EAN</a>
Support plate accessory socket Modul 45 double, 138x74, Transparent,	6119956	TG-UPM2	<a href="#">Buy on EAN</a>
Cover frame accessory socket Modul 45 11/double, 116x80, Pure white, 9010,	6119968	ADR-UPM1.5 RW	<a href="#">Buy on EAN</a>
Cover frame accessory socket Modul 45 11/double, 116x80, Black-grey, 7021,	6119969	ADR-UPM1.5 SWGR	<a href="#">Buy on EAN</a>
Cover frame accessory socket Modul 45 11/double, 116x80, Aluminium painted,	6119970	ADR-UPM1.5 AL	<a href="#">Buy on EAN</a>
Cover frame accessory socket Modul 45 double, 138,5x80, Pure white, 9010,	6119972	ADR-UPM2 RW	<a href="#">Buy on EAN</a>
Cover frame accessory socket Modul 45 double, 138,5x80, Black-grey, 7021,	6119973	ADR-UPM2 SWGR	<a href="#">Buy on EAN</a>
Cover frame accessory socket Modul 45 double, 138,5x80, Aluminium painted,	6119974	ADR-UPM2 AL	<a href="#">Buy on EAN</a>