



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Fittings




Side exit to flexible tube 50, round

Type	System size	Colour	Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
LD DO80	For 80 cables	Yellow	1	12.000	6149 49 0

PPO Polyphenylene oxide

/pc.

Side exit, 90° vertical, for exits from ducts with 100 mm side wall to accept a round flexible tube, type LD FH50-2, sufficient for approx. 50 fibre-optic cables with connectors.




Side exit to system size 50050

Type	System size	Colour	Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
LD DO50050C	50	Yellow	1	3.000	6149 50 2

PPO Polyphenylene oxide

/pc.

T piece as single side exit to create horizontal changes of direction/cable branches for LD cable routing trunking of system size 50050. The T piece exit can be mounted on any 50 and 100 mm-high side wall. With 100 mm-high side walls, an exit ramp must also be mounted in the trunking interior.




Side exit to system size 50050

Type	System size	Colour	Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
LD DO50050	50	Yellow	1	14.000	6149 50 8

PPO Polyphenylene oxide

/pc.

Side exit, 90° vertical, to accept LD cable trunking of system size 50050. Without cover.




Side exist, 90° vertical, falling to 100100

Type	System size	Colour	Dimension b mm	Pack.	Weight	Item No.
				pcs	kg/100 pcs.	
LD 100VT90F	100	Yellow	100	1	25.000	6149 36 6

PPO Polyphenylene oxide

/pc.

T piece, 90° falling, as single side exit to create vertical changes of direction/cable branches for LD cable trunking of system size 100100.




Side exist, 90° vertical, falling to 220100

Type	System size	Colour	Dimension b mm	Pack.	Weight	Item No.
				pcs	kg/100 pcs.	
LD 200VT90F	220	Yellow	200	1	36.500	6149 38 4

PPO Polyphenylene oxide

/pc.

T piece, 90° falling, as single side exit to create vertical changes of direction/cable branches for LD cable trunking of system size 220100.




Top exit for 100 mm trunking height

Type	System size	Colour	Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
LD UNI TO	—	Yellow	1	45.500	6149 69 1

PPO Polyphenylene oxide

Universal top side exit along 100 mm-high trunking wall, 90° vertical, to accept LD cable trunking of system size 100100.




Reduction 100 to 50

Type	System size	Colour	Dimension b mm	Dimension C mm	Pack.	Weight	Item No.
					pcs	kg/100 pcs.	
LD 100100RC	100 to 50	Yellow	100	—	1	9.000	6149 51 5

PPO Polyphenylene oxide

/pc.

Reducer to the horizontal transition to a different system size for LD cable trunking. The reduction from system size 100100 to 50050 takes place in the middle of the trunking section.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
T piece vertical 90° falling, 100, Yellow, Polyphenylene oxide, PPO	6149366	LD 100VT90F	Buy on EAN
T piece vertical 90° falling, 200, Yellow, Polyphenylene oxide, PPO	6149384	LD 200VT90F	Buy on EAN
Side exit set for 80 cables 2.4 mm in pipe, Yellow, Polyphenylene oxide, PPO	6149490	LD DO80	Buy on EAN
Side exit set with cover, 50x50, Yellow, Polyphenylene oxide, PPO	6149502	LD DO50050C	Buy on EAN
Side exit set in duct 5050, Yellow, Polyphenylene oxide, PPO	6149508	LD DO50050	Buy on EAN
Reduction 100100 in 5050 with cover, Yellow, Polyphenylene oxide, PPO	6149515	LD 100100RC	Buy on EAN
Flexible tube, round system 50, 2 m, 50x2000, Yellow, Polyphenylene oxide, PPO	6149542	LD FH50-2	Buy on EAN
Top outlet universal, Yellow, Polyphenylene oxide, PPO	6149691	LD UNI TO	Buy on EAN