


At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE




					Re	duc	tion 220	to 100	)
Type	System	Colour	Dimon-	Dimon-		Pack	Weight	Item No	_

Type	System	Colour	Dimen-	Dimen-	Pack	. Weight	Item No.
	size		sion b	sion C			
			mm	mm	pcs	kg/100 pcs.	
LD 220-100RC	220 to 100	Yellow	220	100		66.600	6149 31 2
					•		




PPO Polyphenylene oxide

T piece with reduced exit for the horizontal transition to a different system size for LD cable routing trunking. Suitable for a trunking section of system size 220100 with T piece exit to system





/pc





Reducer to the horizontal transition to a different system size for LD cable routing trunking. The reduction from system size 300100 to 220100 takes place in the middle of the trunking section.







Reducer to the horizontal transition to a different system size for LD cable trunking. The reduction from system size 220100 to 100100 takes place to the right in the trunking section.




	Reduction 220 to 100, left									
Туре	System size	Colour	Dimen- sion b	Dimen- sion C		Pack.	Weight	Item No.		
LD 220100RCL	220 to 100 left	Yellow	mm 220	mm 100		pcs 1	kg/100 pcs. 45.400	6149 52 7		
PPO Polyphenylene oxide /pc.										



Reducer to the horizontal transition to a different system size for LD cable trunking. The reduction from system size 220100 to 100100 takes place to the left in the trunking section.



					Fle	xik	le tube	, round
	Length	System size	Colour	Dimen- sion B	Pa	ack.	Weight	Item No.
	mm			mm	po	ocs	kg/100 pcs.	
	2000	50	Yellow	50		1	40.000	6149 54 2
PPC	Polyphe	enylene	oxide					/pc.





Special round flexible tube for flexible cable routing in the LD cable trunking system. External diameter approx. 50 mm, internal diameter approx. 44 mm. The flexible tube is suitable to accept approx. 50 fibre-optic cables with connectors.



Flexible tube, round									
Туре	System size	Length	Colour	Dimen- sion B	Pack	Weight	Item No.		
		mm		mm	pcs	kg/100 pcs.			
LD FH88-2	88	2000	Yellow	88	1	70.400	6149 54 8		
PPO Polyp	PPO Polyphenylene oxide /pc.								



Special round flexible tube for flexible vertical supply of network cabinets into the LD cable trunking system. External diameter approx. 100 mm, internal diameter approx. 88 mm. The flexible tube is suitable to accept approx. 150 fibre-optic cables with connectors.



90	

					Fle	xib	le tube,	square	
Туре	System size	Length	Colour	Dimen- sion B		Pack.	Weight	Item No.	
		mm		mm		pcs	kg/100 pcs.		
LD FHS50-350	80	350	Yellow	50		1	10.000	6149 55 4	
PPO Polyphonylone ovide									

PPO Polyphenylene oxide

ble tube is suitable to accept approx. 80 fibre-optic cables with connectors.

Special square flexible tube for flexible cable routing in the LD cable trunking system. The flexi-





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

## To access the product, click on the green button.

Product	Code	Reference	Product link
T piece horizontal reduces 220 to 100, 220x100, Yellow, Polyphenylene oxide, PPO	6149312	LD 220-100RC	Buy on EAN
Reduction, right 220100 in 100100 with cover, Yellow, Polyphenylene oxide, PPO	6149521	LD 220100RCR	Buy on EAN
Reduction, left 220100 in 100100 with cover, Yellow, Polyphenylene oxide, PPO	6149527	LD 220100RCL	Buy on EAN
Reduction 300100 in 220100 with cover, Yellow, Polyphenylene oxide, PPO	6149533	LD 300220RC	Buy on EAN
Flexible tube, round system 88, 2 m, 88x2000, Yellow, Polyphenylene oxide, PPO	6149548	LD FH88-2	Buy on EAN
Flexible tube, square system 50, 350 mm, 50x50x350, Yellow, Polyphenylene oxide, PPO	6149554	LD FHS50-350	Buy on EAN