



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Trunking depth 70 and 90 mm, trunking height 170 mm, asymmetrical




Rising flat angle, trunking depth 90 mm

Type	Colour	Surface finish	Pack.	Weight		Item No.
				pcs	kg/100 pcs.	
GA-AFS90170EL	—	Anodised	1	159.400	6279 52 3	
GA-AFS90170RW	Pure white	—	1	159.400	6279 52 0	

Al Aluminium EL Anodised /pc.

Flat angle, rising, for changing the direction of the Rapid 80 GA aluminium device installation trunking.




Falling flat angle, trunking depth 70 mm

Type	Colour	Surface finish	Pack.	Weight		Item No.
				pcs	kg/100 pcs.	
GA-AFF70170EL	—	Anodised	1	132.600	6279 43 3	
GA-AFF70170RW	Pure white	—	1	132.600	6279 43 0	

Al Aluminium EL Anodised /pc.

Flat angle, falling, for changing the direction of the Rapid 80 GA aluminium device installation trunking.




Falling flat angle, trunking depth 90 mm

Type	Colour	Surface finish	Pack.	Weight		Item No.
				pcs	kg/100 pcs.	
GA-AFF90170EL	—	Anodised	1	149.400	6279 53 3	
GA-AFF90170RW	Pure white	—	1	149.400	6279 53 0	

Al Aluminium EL Anodised /pc.

Flat angle, falling, for changing the direction of the Rapid 80 GA aluminium device installation trunking.




Flat angle cover

Type	Colour	Surface finish	Pack.	Weight		Item No.
				pcs	kg/100 pcs.	
GA-OTFRW	Pure white	—	1	28.600	6279 73 4	
GA-OTFEL	—	Anodised	1	28.600	6279 73 6	

Al Aluminium EL Anodised /pc.

Flat angle cover for mounting on the Rapid 80 GA flat angle fitting.




Internal corner, trunking depth 70 mm

Type	Colour	Surface finish	Pack.	Weight		Item No.
				pcs	kg/100 pcs.	
GA-AI70170EL	—	Anodised	1	172.000	6279 44 3	
GA-AI70170RW	Pure white	—	1	172.000	6279 44 0	

Al Aluminium EL Anodised /pc.

Internal corner for changing the direction of the Rapid 80 GA aluminium device installation trunking.





Internal corner, trunking depth 90 mm

Type	Colour	Surface finish	Pack.	Weight		Item No.
				pcs	kg/100 pcs.	
GA-AI90170EL	—	Anodised	1	186.400	6279 54 3	
GA-AI90170RW	Pure white	—	1	186.400	6279 54 0	

Al Aluminium EL Anodised /pc.

Internal corner for changing the direction of the Rapid 80 GA aluminium device installation trunking.




T piece, trunking depth 70 mm

Type	Colour	Surface finish	Dimension a mm	Pack.	Weight		Item No.
					pcs	kg/100 pcs.	
GA-AT70170EL	—	Anodised	40	1	127.600	6279 46 3	
GA-AT70170RW	Pure white	—	40	1	127.600	6279 46 0	

Al Aluminium EL Anodised /pc.

T piece for branches of Rapid 80 GA aluminium device installation trunking.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
Internal corner asymmetrical, 70x170mm, Pure white, 9010, Aluminium, Alu	6279440	GA-AI70170RW	Buy on EAN
Internal corner asymmetrical, 70x170mm, Anodised, Aluminium, Alu	6279443	GA-AI70170EL	Buy on EAN
T-piece asymmetrical, 70x170mm, Pure white, 9010, Aluminium, Alu	6279460	GA-AT70170RW	Buy on EAN
T-piece asymmetrical, 70x170mm, Anodised, Aluminium, Alu	6279463	GA-AT70170EL	Buy on EAN
Internal corner asymmetrical, 90x170mm, Pure white, 9010, Aluminium, Alu	6279540	GA-AI90170RW	Buy on EAN
Internal corner asymmetrical, 90x170mm, Anodised, Aluminium, Alu	6279543	GA-AI90170EL	Buy on EAN
Cover for flat angle, 400x80mm, Pure white, 9010, Aluminium, Alu	6279734	GA-OTFRW	Buy on EAN
Cover for flat angle, 400x80mm, Anodised, Aluminium, Alu	6279736	GA-OTFEL	Buy on EAN