



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Multimedia connection solutions, Modul 45®




Audio/video cinch connection, 1 module, straight outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-12R F RW1	Pure white	1	3.200	6105 18 6
MTG-12R F SWGR1	Black-grey	1	3.200	6105 18 9
MTG-12R F AL1	Aluminium painted	1	3.200	6105 19 2

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio/video, straight cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding yellow / red / white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Audio/video cinch connection, 1 module, slanting outlet, as 1:1 coupling

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTS-12R F RW1	Pure white	1	3.400	6105 19 8
MTS-12R F SWGR1	Black-grey	1	3.400	6105 20 1
MTS-12R F AL1	Aluminium painted	1	3.400	6105 20 4

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio/video, slanting cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding yellow / red / white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




XLR connection, 1 module, straight outlet, 3-pin socket, with soldered connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-X3F L RW1	Pure white	1	3.000	6105 21 0
MTG-X3F L SWGR1	Black-grey	1	3.000	6105 21 3
MTG-X3F L AL1	Aluminium painted	1	3.000	6105 21 6

PC Polycarbonate

Multimedia support with one XLR connection socket, straight cable outlet, without labelling panel, 3-pin XLR socket with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




XLR connection, 1 module, straight outlet, 3-pin connector, with soldered connection

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-X3M L RW1	Pure white	1	3.000	6105 22 2
MTG-X3M L SWGR1	Black-grey	1	3.000	6105 22 5
MTG-X3M L AL1	Aluminium painted	1	3.000	6105 22 8

PC Polycarbonate

Multimedia support with one XLR connection socket, straight cable outlet, without labelling panel, 3-pin XLR connector with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.




Multimedia support for XLR plug connector, 1 module, straight outlet

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
MTG-X O RW1	Pure white	1	0.600	6105 23 4
MTG-X O SWGR1	Black-grey	1	0.600	6105 23 7
MTG-X O AL1	Aluminium painted	1	0.600	6105 24 0

PC Polycarbonate

Multimedia support for a XLR plug connector, straight cable outlet, without labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
Multimedia support audio/video 3x coupling, socket-socket, 45x45mm, Pure white, 9010, Polycarbonate, PC	6105186	MTG-12R F RW1	Buy on EAN
Multimedia support audio/video 3x coupling, socket-socket, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6105189	MTG-12R F SWGR1	Buy on EAN
Multimedia support audio/video 3x coupling, socket-socket, 45x45mm, Aluminium painted, Polycarbonate, PC	6105192	MTG-12R F AL1	Buy on EAN
Multimedia support audio/video 3x coupling, socket-socket, 45x45mm, Pure white, 9010, Polycarbonate, PC	6105198	MTS-12R F RW1	Buy on EAN
Multimedia support audio/video 3x coupling, socket-socket, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6105201	MTS-12R F SWGR1	Buy on EAN
Multimedia support audio/video 3x coupling, socket-socket, 45x45mm, Aluminium painted, Polycarbonate, PC	6105204	MTS-12R F AL1	Buy on EAN
Multimedia support, XLR, 3-pin socket w. soldered connection, 45x45mm, Pure white, 9010, Polycarbonate, PC	6105210	MTG-X3F L RW1	Buy on EAN
Multimedia support, XLR, 3-pin socket w. soldered connection, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6105213	MTG-X3F L SWGR1	Buy on EAN
Multimedia support, XLR, 3-pin socket w. soldered connection, 45x45mm, Aluminium painted, Polycarbonate, PC	6105216	MTG-X3F L AL1	Buy on EAN
Multimedia support, XLR, 3-pin connector w. sold. connection, 45x45mm, Pure white, 9010, Polycarbonate, PC	6105222	MTG-X3M L RW1	Buy on EAN
Multimedia support, XLR, 3-pin connector w. sold. connection, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6105225	MTG-X3M L SWGR1	Buy on EAN

Multimedia support, XLR, 3-pin connector w. sold. connection, 45x45mm, Aluminium painted, Polycarbonate, PC	6105228	MTG-X3M L AL1	Buy on EAN
Multimedia support, XLR without connection socket, 45x45mm, Pure white, 9010, Polycarbonate, PC	6105234	MTG-X O RW1	Buy on EAN
Multimedia support, XLR without connection socket, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6105237	MTG-X O SWGR1	Buy on EAN
Multimedia support, XLR without connection socket, 45x45mm, Aluminium painted, Polycarbonate, PC	6105240	MTG-X O AL1	Buy on EAN