




Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)




Hammer insert, type 2535, for earthing rods ST, BP and OMEX

Type	For deep earthers Ø mm	Pack. pcs	Weight kg/100 pcs.	Item No.
2535 20	20	1	100.000	3043 91 6
2535 25	25	1	100.000	3044 91 2

St Steel

/pc.

- Manufactured by Hilti TE 52/42, TE 72/60, TE 92
- Fits earthing rod system ST, BP and OMEX
- Hardened



Hammer insert, type 2536, for earthing rods ST, BP and OMEX

Type	For deep earthers Ø mm	Pack. pcs	Weight kg/100 pcs.	Item No.
2536 20	20	1	63.000	3044 90 4
2536 25	25	1	61.000	3044 83 1

St Steel

/pc.

- Fits earthing rod system ST, BP and OMEX
- For vibration hammers with SDS- Max/TEY- mounting
- Hardened



Hammer insert for LightEarth earthing rod

Type	Version	Pack. pcs	Weight kg/100 pcs.	Item No.
LE HAMMER-W	Wacker	1	132.000	3043 60 6
LE HAMMER-H	Hilti	1	76.000	3043 61 0
LE HAMMER-B	Bosch	1	87.000	3043 61 4
LE HAMMER-SDS-M	SDS-Max	1	76.000	3043 60 2
LE HAMMER-AC	Atlas Copco	1	76.000	3043 61 8
LE HAMMER-B-II	-	1	200.000	3043 62 8

St Steel

/pc.

- Suitable for LightEarth system
- 3043606 for Wacker (BHF 25, BHF 30S)
- 3043610 for Hilti (TE 52/42, TE72/60, TE92)
- 3043614 for Bosch (USH 10, HSH 10)
- 3043602 for SDS-Max
- 3043618 for Atlas Copco (Hexagon seat)
- 3043628 for Bosch GSH27/UH27 (11304) / HS28 (12314)
Hitachi H65SD
Makita HM 1500B / HM1800
- Hardened



Interception/earth entry rod, rounded-off on both sides

Type	Length mm	Nominal size Ø mm	Pack. pcs	Weight kg/100 pcs.	Item No.
101 A-1500	1,500	16	10	240.000	5400 15 5

St Steel

FT Hot-dip galvanised

/100 pc.

- Full material Ø 16 mm
- Rounded on both sides
- Suitable for FangFix stand system

Type	Length mm	Nominal size Ø mm	Pack. pcs	Weight kg/100 pcs.	Item No.
200 V4A-1500	1,500	16	10	242.000	5420 50 4
200 V4A-2000	2,000	16	1	320.000	5420 53 9

V4A Stainless steel, grade 316 Ti

/100 pc.

- Both ends rounded

Type	Length mm	Nominal size Ø mm	Pack. pcs	Weight kg/100 pcs.	Item No.
101 A-CU	1,500	16	10	272.100	5400 62 7

Cu Copper

/100 pc.

- Full material Ø 16 mm
- Rounded on both sides
- Suitable for FangFix stand system





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Interception/earth entry rods , 1500mm, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5400155	101 A-1500	Buy on EAN
Interception/earth entry rods , 1500mm, Copper, Cu	5400627	101 A-CU	Buy on EAN
Earth entry , 1500mm,	5420504	200 V4A-1500	Buy on EAN
Earth entry , 2000mm, Stainless steel, grade 316 Ti, VA, 1.4571	5420539	200 V4A-2000	Buy on EAN