




**Automatización Eléctrica**

Especialistas en Automatización


At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)



**Cable bracket with crossbar Rd 8–10 mm, with wood screw thread**

Type	Fit	Dimension H	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
<b>176 A 65</b>	Rd 8-10	65	50	9.536	<b>5227 07 0</b>
<b>176 A 80</b>	Rd 8-10	80	50	10.025	<b>5227 08 9</b>
<b>176 A 100</b>	Rd 8-10	100	50	11.500	<b>5227 10 0</b>
<b>176 A 150</b>	Rd 8-10	150	20	13.100	<b>5227 15 1</b>


- TG** Cast iron      **F** Hot-dip galvanised /100 pc.
- Also for flat conductor to FL 30
  - With wood screw thread
  - Bottom section, hot-dip galvanised cast iron
  - Over-piece and screws, hot dipped galvanised steel



**Base plate**

Type	Thread	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
<b>199 DIN</b>	M8	100	14.200	<b>5208 01 7</b>


- St** Steel      **FS** Strip-galvanised /100 pc.
- With threaded pin M8
  - Suitable for direct bonding
  - Threaded pin brass and base plate hot-dip galvanised steel



**Hinge crossbar for FL 30 mm**

Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>156 FL</b>	FL30	100	2.460	<b>5228 32 8</b>

- St** Steel      **FT** Hot-dip galvanised /100 pc.
- With slot for quick installation



**Crossbar for Rd 8–10 mm**

Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>156 K8-10 ST</b>	Rd 8-10	100	2.000	<b>5228 12 3</b>

- St** Steel      **FT** Hot-dip galvanised /100 pc.
- For round conductor Rd 8-10




Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>156 K8-10 VA</b>	Rd 8-10	100	2.100	<b>5228 13 4</b>

- V2A** Stainless steel, grade 304 /100 pc.
- For round conductor Rd 8-10



Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>156 K8-10 CU</b>	Rd 8-10	100	2.260	<b>5228 13 1</b>

- Cu** Copper /100 pc.
- For round conductor Rd 8-10



**Hinge crossbar for Rd 8-10 mm**

Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>156 8-10</b>	Rd 8-10	100	2.680	<b>5228 02 6</b>

- St** Steel      **FT** Hot-dip galvanised /100 pc.
- With open slot for quick installation



02\_TBS\_Masterkatalog\_Länder\_2012 / en / 29/05/2012 (LLEExport\_01433) / 29/05/2012

Interception and arrester systems



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
Base plate with threaded pin M8, 100x100x2, Strip-galvanised, DIN EN 10147, Steel, St	5208017	199 DIN	<a href="#">Buy on EAN</a>
Cable fixing device , 65mm, Hot-dip galvanised, DIN 267, Teil 10, Cast iron, TG	5227070	176 A 65	<a href="#">Buy on EAN</a>
Cable fixing device , 80mm, Hot-dip galvanised, DIN 267, Teil 10, Cast iron, TG	5227089	176 A 80	<a href="#">Buy on EAN</a>
Cable fixing device , 100mm, Hot-dip galvanised, DIN 267, Teil 10, Cast iron, TG	5227100	176 A 100	<a href="#">Buy on EAN</a>
Cable fixing device , 150mm, Hot-dip galvanised, DIN 267, Teil 10, Cast iron, TG	5227151	176 A 150	<a href="#">Buy on EAN</a>
Crossbar with open long. hole, 56mm, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5228026	156 8-10	<a href="#">Buy on EAN</a>
Crossbar , 43mm, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5228123	156 K8-10 ST	<a href="#">Buy on EAN</a>
Crossbar , 43mm, Copper, Cu	5228131	156 K8-10 CU	<a href="#">Buy on EAN</a>
Crossbar with open long. hole, 56mm, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5228328	156 FL	<a href="#">Buy on EAN</a>