



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Connection clamps and connection terminals




Folding clamp Rd 8-10 up to 10 mm plate thickness

Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
270 8-10 CU	Rd 8-10	max. 10	50	14.740	5317 25 8

Cu Copper /100 pc.

- Metal thickness to 10 mm
- For cable routing transverse and in parallel to the plate
- Corresponds to the requirements to DIN V VDE V 0185-3 section 4.5




Folding clamp up to 5 mm plate thickness

Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
271 8-10	Rd 8-10	max. 5	50	14.060	5317 40 1

St Steel **FT** Hot-dip galvanised /100 pc.


- Plate thickness to 5 mm
- For conductor routing transverse and longitudinal to plate
- With 4 hexagonal bolts M6 x 12
- Conforms to the requirements according to DIN VDE 0185-305 (IEC 62305)
- 271 Cu: with hexagonal bolts stainless steel (VA)



Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
271 8-10 VA	Rd 8-10	max. 5	50	96.780	5317 48 1

V2A Stainless steel, grade 304 /100 pc.


- Plate thickness to 5 mm
- For conductor routing transverse and longitudinal to plate
- With 4 hexagonal bolts M6 x 12
- Conforms to the requirements according to DIN VDE 0185-305 (IEC 62305)
- 271 Cu: with hexagonal bolts stainless steel (VA)



Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
271 CU	Rd 8-10	max. 5	50	15.230	5317 45 2

Cu Copper /100 pc.

- Plate thickness to 5 mm
- For conductor routing transverse and longitudinal to plate
- With 4 hexagonal bolts M6 x 12
- Conforms to the requirements according to DIN VDE 0185-305 (IEC 62305)
- 271 Cu: with hexagonal bolts stainless steel (VA)




Folding clamp up to 10 mm plate thickness

Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
273 8-10	Rd 8-10	max. 10	50	17.000	5317 22 3

St Steel **FT** Hot-dip galvanised /100 pc.


- Plate thickness to 10 mm
- Conductor routing transverse and longitudinal to plate with 2 hexagonal bolts M8 x 10 and 2 hexagonal bolts M8 x 16 (F)



Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
273 CU	Rd 8-10	max. 10	50	18.500	5317 27 4

Cu Copper /100 pc.

- Plate thickness to 10 mm
- Conductor routing transverse and longitudinal to plate with 2 hexagonal bolts M8 x 10 and 2 hexagonal bolts M8 x 16 (F)
- 273 Cu: with hexagonal bolts, stainless steel (VA)





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
Folding clamp , 8/10mm, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5317223	273 8-10	Buy on EAN
Folding clamp , 8/10mm, Copper, Cu	5317258	270 8-10 CU	Buy on EAN
Folding clamp , 8/10mm, Copper, Cu	5317274	273 CU	Buy on EAN
Folding clamp , 8/10mm, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5317401	271 8-10	Buy on EAN
Folding clamp , 8/10mm, Copper, Cu	5317452	271 CU	Buy on EAN