





**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

# Connection clamps and connection terminals

## Folding clamp and connection terminal up to 10 mm plate thickness



Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
<b>274 8-10</b>	Rd 8-10	max. 10	50	10.400	<b>5317 42 8</b>

**St** Steel **FT** Hot-dip galvanised /100 pc.

- Plate thickness to 10 mm
- For conductor routing transverse and longitudinal to plate
- 4 hexagonal bolts M6 x 16
- Conforms to the requirements according to DIN VDE 0185-305 (IEC 62305)




Type	Fit	Clamping area	Pack.	Weight	Item No.
	mm	mm	pcs	kg/100 pcs.	
<b>274 CU</b>	Rd 8-10	max. 10	50	11.340	<b>5317 47 9</b>

**Cu** Copper /100 pc.

- Plate thickness to 10 mm
- For conductor routing transverse and longitudinal to plate
- 4 hexagonal bolts M6 x 16
- Conforms to the requirements according to DIN VDE 0185-305 (IEC 62305)



## Gutter clamp RK-FIX



Type	Fit	Material symbol	Inter-face	Pack.	Weight	Item No.
	mm			pcs	kg/100 pcs.	
<b>RK-FIX</b>	2 x Rd 8	St	FT	25	19.100	<b>5316 45 0</b>

**St** Steel **FT** Hot-dip galvanised /100 pc.

- For up to 2 round cables Rd 8
- With double crossbar
- Suitable for all bead thicknesses (15–25 mm)
- With 1 truss-head bolt M10 x 45
- Nut and bolt made of VA stainless steel
- With spring for prefixing for rain gutter

Type	Fit	Material symbol	Inter-face	Pack.	Weight	Item No.
	mm			pcs	kg/100 pcs.	
<b>RK-FIX VA</b>	2 x Rd 8	V2A	–	25	19.100	<b>5316 45 9</b>


**V2A** Stainless steel, grade 304 /100 pc.

- For up to 2 round cables Rd 8
- With double crossbar
- Suitable for all bead thicknesses (15–25 mm)
- With 1 truss-head bolt M10 x 45
- Nut and bolt made of VA stainless steel
- With spring for prefixing for rain gutter
- Tested to DIN EN 50164-1


Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>RK-FIX CU</b>	2 x Rd 8	25	21.000	<b>5316 46 8</b>

**V2A** Stainless steel, grade 304 **Cu** Copper-plated /100 pc.

- For up to 2 round cables Rd 8
- With double crossbar
- Suitable for all bead thicknesses (15–25 mm)
- With 1 truss-head bolt M10 x 45
- Nut and bolt made of VA stainless steel
- With spring for prefixing for rain gutter
- Tested to DIN EN 50164-1



## Gutter clamp for all bead thicknesses



Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>267</b>	Rd 8-10	25	13.950	<b>5316 30 8</b>

**St** Steel **FT** Hot-dip galvanised /100 pc.

- Fits all bead thicknesses
- With 1 hexagonal bolt M8 x 30
- 2 hexagonal bolts M6 x 12





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
Gutter clamp with spring , Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5316450	RK-FIX	<a href="#">Buy on EAN</a>
Gutter clamp with spring , Stainless steel, grade 304, VA, 1.4301	5316459	RK-FIX VA	<a href="#">Buy on EAN</a>
Gutter clamp with spring , Copper-plated, Stainless steel, grade 304, VA, 1.4301	5316468	RK-FIX CU	<a href="#">Buy on EAN</a>
Folding clamp , 8/10mm, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5317428	274 8-10	<a href="#">Buy on EAN</a>
Folding clamp , 8/10mm, Copper, Cu	5317479	274 CU	<a href="#">Buy on EAN</a>